



ON THE GO!

UTILITY CART
UTC2200
(PAGE 1)



COMPACT UTILITY CART
UTC1100

Application: Gear transportation	Weight Capacity: 330 lb
Compact Size: 26" (L) x 11.5" (W) x 7" (H)	Extended Size: 38.5" (L) x 11.5" (W) x 31.5" (H)
Front Wheel Size: 3"	Rear Wheel Size: 6"
Weight: 24.3 lb	



UTILITY CART
UTC2200

Application: Gear transportation	Weight Capacity: 485 lb
Compact Size: 18" (W) x 28.5" (L)	Extended Size: 18" (W) x 42.5" (L)
Platform Bed Height: 10.5"	Handle Height: 31"



ALL-TERRAIN UTILITY CART
UTC5500

Application: Gear transportation	Weight: 34.6 lb
Compact Dimensions: 30" (L) x 13.6" (W) x 11.2" (H)	Extended Dimensions: 52" (L) x 13.6" (W) x 37" (H)
Weight Capacity: 550 lb	Front Wheel Size: 8"
Rear Wheel Size: 10"	

AMPLIFIER, MIXER, AND RACK / CARTS



UTILITY CART TRAY
UCA1500

Application: Mounts to the handles of On-Stage utility carts to create a workstation, table, or shelf	
Surface Dimensions: 36" (L) x 17" (W)	Thickness: 1.2 mm
Weight Capacity: 80 lb	Weight: 7.5 lbs.
Color: Black	



FOLDABLE TILT-BACK AMP STAND
RS6000

Weight Capacity: 120 lb	Tubing: 0.75" x 0.75"
Base Dimensions: 14" (W) x 21.5" (D)	Construction: Steel
Upper Back Arm Length: 18"	Color: Black
Lower Arm Length: 12"	



UTILITY CART HANDLE BAG
UCB1250

Construction: Heavy-duty nylon	Straps: Hook and loop
Dimensions: 26" (L) x 12" (W) x 6" (D)	Color: Black
For Use With: On-Stage UTC2200 and UTC5500 Utility Carts	



TILT-BACK AMP STAND
RS7000

Weight Capacity: 150 lb	Base Spread: 15.5"
Height Adjustment: 17"-24"	Width: 12"
Upper and Lower Arm Length: 12"	Arm Spread: 13"
Construction: Steel	



UTILITY CART BAG
UCB2500

Construction: Heavy-duty nylon	Straps: Black
Dimensions: 40" (L) x 12" (W) x 20" (H)	Color: Black
For use with: On-Stage UTC2200 and UTC5500 Utility Carts	



TABLETOP RACK STAND
RS7030

Application: 12-space rack	Weight Capacity: 75 lb
Height: 23"	Width: 19.5"
Depth: 14"	Tubing: 15 mm x 30 mm
Construction: Steel	Color: Black



FOLDABLE TILTBACK AMP STAND
RS4000

Application: Small amps / practice amps	Weight Capacity: 100 lb
Upper Back Arm Length: 14"	Lower Arm Length: 8"
Floor Dimensions: 12" (W) x 18" (D)	Construction: Steel
Tubing: 0.75"	Color: Black



PRO TILTBACK AMP STAND
RS7705

Application: Stage / studio amplifiers and monitors	Arm Width: 12"
Weight Capacity: 90 lb	Arm Depth: 11"
Base Spread: 17"	Construction: Steel



AWARD-WINNER

TILTBACK TRIPOD AMP STAND
RS7500

Application: Stage / studio amps and monitors	Weight Capacity: 100 lb
Height Adjustment: 8"-10" (support arm height above floor)	Support Arm Lengths: 7.32"
Back Bumper Height Adjustment: 19"-36"	Angle Adjustment: 95°-110°
Mic Mount Height Adjustment: 23"-37"	Construction: Steel
Folded Dimensions: 5" (W) x 4.5" (H) x 26.5" (L)	Color: Black



AMP STAND WITH BOOM ARM
RS7501

Application: Stage or studio amps and monitors / amp miking	Weight Capacity: 100 lb
Height Adjustment: 8"-10" (support arm height above floor)	Angle Adjustment: 95°-110°
Back Bumper Height Adjustment: 19"-36"	Amp Support Arms Length: 7.32"
Mic Mount Height Adjustment: 23"-37"	Boom Arm Size: 22" boom arm with 7" adjustable mini boom
Boom Arm Tubing: 16 mm	Color: Black
Folded Dimensions: 5" (W) x 4.5" (H) x 26.5" (L)	



MOBILE EQUIPMENT STAND
MIX-400V2

Application: Holds mixers, small-to-midsize audio gear, and 1U rack-mount components

Height Adjustment: 28"–38"

Platform Length Adjustment: 12"–15.5"

Construction: Steel / plastic

Weight Capacity: 88 lb

Platform Width Adjustment: 14.5"–21.5"

Base Spread: 23"



AMP GLIDER
AG5000

Length Adjustment: 22"–29.5"

Width Adjustment: 7.5"–14"

Weight Capacity: 140 lb

Height: 4"

Frame Construction: Steel

Color: Black



NEW PRODUCT

SUB GLIDER
SG5000

Depth Adjustment: 15"–22"

Usable Width Adjustment: 18.4"–33"

Frame Construction: Steel

Heavy-duty casters: 6 total (2 locking)

Height: 4"

Weight Capacity: 155 lb

Wheels: 3"

Finish: Black powder coat



1U LOCKING RACK DRAWER
RDL1000

Dimensions: 19" (L) x 14" (W) x 1.7" (H)

Construction: Steel

Size: 1U

Color: Black



1U LOCKING RACK DRAWER (SHALLOW)
RDLS1000

Dimensions: 19" (L) x 9.5" (W) x 1.7" (H)

Construction: Steel

Size: 1U (Shallow)

Color: Black



2U LOCKING RACK DRAWER
RDL2000

Dimensions: 19" (L) x 14" (W) x 3.5" (H)

Construction: Steel

Size: 2U

Color: Black



2U LOCKING RACK DRAWER (SHALLOW)
RDLS2000

Dimensions: 19" (L) x 9.5" (W) x 3.5" (H)

Construction: Steel

Size: 2U (Shallow)

Color: Black



3U LOCKING RACK DRAWER
RDL3000

Dimensions: 19" (L) x 14" (W) x 5.1" (H)

Construction: Steel

Size: 3U

Color: Black



3U LOCKING RACK DRAWER (SHALLOW)
RDLS3000

Dimensions: 19" (L) x 9.5" (W) x 5.1" (H)

Construction: Steel

Size: 3U (Shallow)

Color: Black



4U LOCKING RACK DRAWER
RDL4000

Dimensions: 19" (L) x 14" (W) x 6.7" (H)

Construction: Steel

Size: 4U

Color: Black



4U LOCKING RACK DRAWER (SHALLOW)
RDLS4000

Dimensions: 19" (L) x 9.5" (W) x 1.7" (H)

Construction: Steel


Size: 4U (Shallow)

Color: Black



1U ADAPTABLE RACK DRAWER FOAM
RDF1000

Dimensions: 16.3" (W) x 15" (D)	Size: 1U
Construction: Medium-density foam	Color: Gray



2U ADAPTABLE RACK DRAWER FOAM
RDF2000

Dimensions: 16.3" (W) x 15" (D)	Size: 2U
Construction: Medium-density foam	Color: Gray




3U ADAPTABLE RACK DRAWER FOAM
RDF3000

Dimensions: 16.3" (W) x 15" (D)	Size: 3U
Construction: Medium-density foam	Color: Gray



4U ADAPTABLE RACK DRAWER FOAM
RDF4000

Dimensions: 16.3" (W) x 15" (D)	Size: 4U
Construction: Medium-density foam	Color: Gray



1U VENTED RACK PANEL
RPV1000

Thickness: 2 mm	Size: 1U
Construction: Steel	Color: Black



1U BLANK RACK PANEL
RPB1000

Thickness: 1.7 mm	Size: 1U
Construction: Steel	Color: Black




3U VENTED RACK PANEL
RPV3000

Thickness: 2 mm	Size: 3U
Construction: Steel	Color: Black



2U BLANK RACK PANEL
RPB2000

Thickness: 1.7 mm	Size: 2U
Construction: Steel	Color: Black




2U VENTED RACK PANEL
RPV2000

Thickness: 2 mm	Size: 2U
Construction: Steel	Color: Black



3U BLANK RACK PANEL
RPB3000

Thickness: 1.7 mm	Size: 3U
Construction: Steel	Color: Black



4U VENTED RACK PANEL
RPV4000

Thickness: 2 mm	Size: 4U
Construction: Steel	Color: Black



4U BLANK RACK PANEL
RPB4000

Thickness: 1.7 mm	Size: 4U
Construction: Steel	Color: Black



1U 500 SERIES BLANK RACK PANEL
RPB1500

Thickness: 3 mm	Size: 1U
Construction: Steel	Color: Black




ADJUSTABLE TOP-MOUNT RACK SHELF
RSU1000

Application: Holds mixers, laptops, and other non-rack-mountable devices in a rack		Depth: 17.5"
Width Adjustment: 8"-15" (can hold 17" gear with inner locking brackets removed)		
Tray Width (not including mounting lip): 17.2"	Width (including mounting lip): 19"	



1U RACK BRUSH PANEL
RPBR1000

Thickness: 1.7 mm	Size: 1U
Construction: Steel / nylon	Color: Black




1U VENTED RACK SHELF 9"
RVS1000

Height: 1.74"	Length: 19"
Width: 9"	Weight: 2.83 lb
Weight Capacity: 35 lb	Construction: Steel
Color: Black	



2U RACK BRUSH PANEL
RPBR2000

Thickness: 1.7 mm	Size: 2U
Construction: Steel / nylon	Color: Black



2U VENTED RACK SHELF 14"
RVS2000

Height: 3.51"	Length: 19"
Width: 14"	Weight: 4.85 lb
Weight Capacity: 35 lb	Construction: Steel
Color: Black	



6U WALL-MOUNT KNOCK-DOWN RACK
RKD6000

Dimensions: 21.65" (L) x 17.72" (W) x 14.57" (H)	
Rack Mounting Holes: #10-32	Rack Space: 6U
Construction: Steel	Color: Black
Usable Depth (Rail to Rail): 14"	



9U WALL-MOUNT KNOCK-DOWN RACK
RKD9000

Dimensions: 21.65" (L) x 17.72" (W) x 19.85" (H)	
Rack Mounting Holes: #10-32	Rack Space: 9U
Construction: Steel	Color: Black
Usable Depth (Rail to Rail): 14"	



PACK OF RACK SCREWS
WSR7025 / 25 Pack

Application: Secures rack-mount gear to a rack	
Dimensions: M5, 12 mm	Head type: Philips
Construction: Metal	Color: Black



12U WALL-MOUNT KNOCK-DOWN RACK
RKD1200

Dimensions: 21.65" (L) x 17.72" (W) x 24.41" (H)	
Rack Mounting Holes: #10-32	Rack Space: 12U
Construction: Steel	Color: Black
Usable Depth (Rail to Rail): 14"	



CASTERS FOR RKD SERIES RACKS
RKD1000C

Mounting Style: Screws	Construction: Steel
Works With: On-Stage RKD6000, RKD9000, & RKD1200	



16–24 CHANNEL MIXER DUST COVER
MDA7016

Length Adjustment: 27"–34"	Construction: Spandex
Width Adjustment: 19"–23"	Color: Black
Depth: 12"	



32–48 CHANNEL MIXER DUST COVER
MDA7032

Length Adjustment: 47"–53"	Construction: Spandex
Width Adjustment: 24"–29"	Color: Black
Depth: 12"	



AWARD-WINNER
ON-STAGE ORIGINAL

GUITAR WORKSTATION - ROSEWOOD
GWS5000RB

Amp Shelf Dimension: 24.5" (L) x 12.5" (W) x 20.5" (D)	
Pedal Board Dimension: 24" (L) x 8" (W) x 3.5" (D)	
Top Shelf Dimension: 24.5" (L) x 1.5" (W) x 3" (D)	
Weight Capacity: 80 lb	Cabinet Construction: MDF
Includes: Hook-and-loop strips	Color: Rosewood



AWARD-WINNER
ON-STAGE ORIGINAL

GUITAR WORKSTATION - BLACK
GWS5000B

Amp Shelf Dimension: 24.5" (L) x 12.5" (W) x 20.5" (D)	
Pedal Board Dimension: 24" (L) x 8" (W) x 3.5" (D)	
Top Shelf Dimension: 24.5" (L) x 1.5" (W) x 3" (D)	
Weight Capacity: 80 lb	Cabinet Construction: MDF
Includes: Hook-and-loop strips	Color: Black



NEW PRODUCT
ON-STAGE ORIGINAL

GUITAR UTILITY VEHICLE
GUV8000

Dimensions While in Use: 36" (L) x 24" (W) x 40" (H)	
Folded-Down Dimensions: 36" (L) x 24" (W) x 12" (H) or 16" (H) with cup holder installed	
Amp Stand Dimensions: 30" (L) x 12" (W) x 22" (H)	
Accessory Tray Dimensions: 7.75" (L) x 6.75" (W) x 0.38" (D)	
Wheel Footprint: 32" (L) x 20.5" (W)	Weight Capacity: 300 lb
360° Swiveling Caster Quantity: 4	Caster Brake Quantity: 2
Wheel Dimensions: 8" (H) x 2.5" (W)	Tire Type: Foam filled