

ON THE RISE.

**POWER CRANK-UP
SPEAKER STAND**
SS8800B+
(PAGE 4)



ALL-STEEL SPEAKER STAND
SS7725

Speaker Pole Diameter: 1.375" (1.5" adapter included)

Height Adjustment: 46"-74" Weight Capacity: 120 lb

Construction: Steel Color: Black



CLASSIC SPEAKER STAND
SS7730B

Speaker Pole Diameter: 1.375" (1.5" adapter included)

Height Adjustment: 44"-80" Weight Capacity: 160 lb

Construction: Steel / aluminum Color: Black



ALL-ALUMINUM SPEAKER STAND
SS7761B

Reversible Speaker Pole Diameter: 1.375" or 1.5"

Height Adjustment: 45"-72" Base Spread: 32"-48"

Weight Capacity: 120 lb Construction: Aluminum

Color: Black



SPEAKER STAND WITH ADJUSTABLE LEG

SS7762B

Reversible Speaker Pole Diameter: 1.375" or 1.5"

Length: 45"-72"

Base Spread: 32"-48"

Leveling Leg Adjustment: 0"-8"

Weight Capacity: 110 lb

Construction: Aluminum

Color: Black



AIR-LIFT SPEAKER STAND

SS7764B

Speaker Pole Diameter: 1.375"

Height Adjustment: 47"-74"

Base Spread: 46"

Weight Capacity: 100 lb

Lift Assist: 40 lb

Construction: Aluminum / steel

Color: Black



10' LIGHTING / SPEAKER STAND

LS-SS7770

Height Adjustment: 44"-120"

Base Spread: 38"-58"

Reversible Speaker Pole Diameter: 1.375" or 1.5"

Weight Capacity: 140 lb

Construction: Steel / aluminum

Color: Black



POWER CRANK-UP SPEAKER STAND

SS8800B+

Speaker Pole Diameter: 1.375" (1.5" adapter included)

Height Adjustment: 47"-80"

Weight Capacity: 80 lb

Construction: Aluminum / steel

Color: Black



MINI ADJUSTABLE SPEAKER STAND

SSAS7000B

Speaker Pole Diameter: 1.375"

Height Adjustment: 27"-46"

Base Spread: 12.5"

Weight Capacity: 60 lb

Construction: Aluminum

Color: Black



MINI SPEAKER STAND PACK

SSP7000

Reversible Speaker Pole Diameter: 1.375"

Height Adjustment: 27"-48"

Weight Capacity: 60 lb each

Construction: Aluminum

Color: Black

Bag material: Heavy-duty padded nylon



COMPACT SPEAKER STAND PACK SSP7750

Includes: 2 stands and carry bag
Height Adjustment: 37"-60"
Construction: Aluminum
Color: Black

Speaker Pole Diameter: 1.375"
Weight Capacity: 60 lb
Bag Material: Heavy-duty nylon



ALL-ALUMINUM SPEAKER STAND PACK SSP7900

Height Adjustment: 45"-74.75"
Reversible Speaker Pole Diameter: 1.375" with 1.5" nylon
Construction: Aluminum adapter included

Weight Capacity: 120 lb each
Bag Material: Heavy-duty
Color: Black



PROFESSIONAL SPEAKER STAND PACK SSP7850

Height Adjustment: 46"-74"
Construction: Steel

Weight Capacity: 120 lb each
Color: Black



ALL-ALUMINUM SPEAKER STAND PACK SSP7950

Reversible Speaker Pole Diameter: 1.375" or 1.5"
Height Adjustment: 45"-72"
Construction: Aluminum
Bag material: Heavy-duty nylon

Weight Capacity: 120 lb each
Color: Black



NEW PRODUCT

SPEAKER/LIGHTING STAND SS8000

Height Adjustment: 55.51"-98.42"
Base Dimensions: 22.33" x 22.33"
Feet Height Adjustment: 0.25"
Material: Steel
Includes: 38 mm speaker adapter

Weight: 36 lb
Weight Capacity: 65 lb
Base Threading: M20
Color: Black

PRODUCTION-GRADE



AWARD-WINNER

WOOD STUDIO MONITOR STANDS

SMS7500B

Height Adjustment: 35.5"–56.5"	Platform Dimensions: 13.75" x 12.63"
Base Dimensions: 16" x 15"	Weight Capacity: 90 lb
Construction: Steel / wood	Color: Black



AWARD-WINNER

WOOD STUDIO MONITOR STANDS

SMS7500RB

Height Adjustment: 35.5"–56.5"	Platform Dimensions: 13.75" x 12.63"
Base Dimensions: 16" x 15"	Weight Capacity: 90 lb
Construction: Steel / wood	Color: Rosewood

**WOOD STUDIO MONITOR STANDS**

SMS7500W

Height Adjustment: 35.5"–56.5"	Platform Dimensions: 13.75" x 12.63"
Base Dimensions: 16" x 15"	Weight Capacity: 90 lb
Construction: Steel / wood	Color: White

**STUDIO MONITOR STANDS (PAIR)**

SMS6000-P

Height Adjustment: 36.5"–54"	Platform Dimensions: 9.5" x 9.5"
Base Spread: 18"	Weight Capacity: 90 lb
Construction: Steel	Color: Black



ON-STAGE ORIGINAL

HEX-BASE MONITOR STANDS

SMS6600-P

Height Adjustment: 36.5"–54"	Platform Dimensions: 9.5" x 9.5"
Base Spread: 14"	Weight Capacity: 90 lb
Construction: Steel	Color: Black



AIRLIFT SPEAKER POLE
SS7748

Length Adjustment: 36.5"–60"	Speaker Pole Diameter: 1.375"
Weight Capacity: 100 lb	Construction: Steel
Color: Black	



ADJUSTABLE SUBWOOFER ATTACHMENT SHAFT
SS7745L0K

Length Adjustment: 32.5"–47"	Speaker Pole Diameter: 1.375"
Weight Capacity: 100 lb	Construction: Steel
Color: Black	



M20 THREADED
MOST POPULAR

SUBWOOFER POLE WITH M20 THREAD
SS7746

Length Adjustment: 30"–54"	Speaker Pole Diameter: 1.375"
Weight Capacity: 100 lb	Construction: Steel
Color: Black	



SUBWOOFER ATTACHMENT SHAFT
SS7740

Length: 42"	Speaker Pole Diameter: 1.375"
Weight Capacity: 160 lb	Construction: Steel
Color: Black	



MOST POPULAR

ADJUSTABLE SUBWOOFER ATTACHMENT SHAFT
SS7745

Length Adjustment: 31.625"–55"	Speaker Pole Diameter: 1.375"
Weight Capacity: 80 lb	Construction: Steel
Color: Black	



CRANK-UP SUBWOOFER POLE
SS7747v2

Length Adjustment: 40"–63"	Speaker Pole Diameter: 1.375"
Weight Capacity: 145 lb	Construction: Steel
Color: Black	



WALL-MOUNT SPEAKER BRACKET

SS7323B

Distance from wall: 12.5"–15" (depending on tilt angle)

Left-to-Right Angle Adjustment: 30° either direction

Tilt Angle Adjustment: 0°–45° down **Construction:** Steel

Weight Capacity: 100 lb **Color:** Black



WALL-MOUNT SPEAKER BRACKET

SS7914B

Length: 15.5" (from the inside of the bracket to the center of the speaker pole)

Weight Capacity: 80 lb

Construction: Steel

Color: Black



ADJUSTABLE WALL-MOUNT SPEAKER BRACKET

SS7322B

Distance from Wall: 12.5"–15" (depending on tilt angle)

Left-to-Right Angle Adjustment: 30° either direction

Tilt Angle Adjustment: 0°–30° down **Color:** Black

Weight Capacity: 80 lb



STEERABLE ARRAY BRACKET

SS7990

Steering: Up to 180° with correct cables **Length:** 17.75"

Includes: (6) 8 mm eyebolts (3 per mount) **Weight Capacity:** 80 lb per mount



DUAL-MOUNT SPEAKER BRACKET

SS7920

Bracket Length: 20" from the center of one speaker pole to the center of the other speaker pole

Construction: Steel

Weight Capacity: 80 lb distributed evenly

Color: Black

Speaker Pole Diameter: 1 3/4"



EXTERIOR MOUNTING BRACKET

EB9760

Application: Adds a 1.375" pole-mount socket to a speaker

Dimensions: 7.375" x 4.375"

Includes: (4) mounting screws

Construction: Heavy-duty plastic

Color: Black



12" SPEAKER BAG

SB1200

Construction: Heavy-duty nylon shell / foam padding

Bag Dimensions: 24.5" (L) x 14.5" (W) x 15" (D)



15" SPEAKER BAG

SB1500

Construction: Heavy-duty nylon shell / foam padding

Bag Dimensions: 28.5" (L) x 19.5" (W) x 18.7" (D)



MOST POPULAR
IMPRINTABLE ITEM

SPEAKER STAND BAG

SSB6500

Bag Dimensions: 50" (L) x 10" (W) x 5" (D) **Color:** Black

Construction: Heavy-duty nylon shell / foam padding



STUDIO
MONITOR STANDS
SMS6000-P
(PAGE 8)



LOCKING SPEAKER ADAPTER SSA45L0K

Application: Stabilizes speaker pole/socket connections

Length: 12" including 3" speaker-pole overlap

Construction: Steel tubing / plastic pressure pads

Diameter: 1.375"

Color: Black



SPEAKER CABINET INSERT SSA1.375 SSA1.5

Application: Adds a pole-mount socket to a speaker

Construction: Steel

SSA1.375 Diameter: 1.375"

SSA1.5 Diameter: 1.5"



SPEAKER STAND ADAPTER SSA3

Application: Reduces the diameter of a 1.375" speaker pole to 1"

Lower Diameter (Female): 1.375"

Upper Diameter (Male): 1"

Construction: Steel

Color: Black



M20 SPEAKER CABINET ADAPTER SSA20M

Application: Replaces a 1.375" pole-mount socket with an M20-threaded socket

Includes: 4 mounting screws

Construction: Steel

Color: Black



ADAPTER SLEEVE FOR SPEAKER BRACKETS SSA2

Application: Increases the diameter of a 1.375" speaker pole to 1.5"

Inner Diameter: 1.375"

Outer Diameter: 1.5"

Construction: Steel

Color: Black



SUBWOOFER ADAPTER SSA21

Application: Enables an M20-threaded speaker-stand shaft to connect to virtually any subwoofer pole-mount socket

Lower Adapter: 1.375" with a removable male M20-threaded stem

Upper Adapter: Female M20

Construction: Steel

Includes: Hex key for M20 stem removal



SAFETY CABLE SSACB28

Application: Backup attachment for overhead equipment

Thickness: 3 mm

Length: 28"

Maximum Load: 60 lb

Construction: Steel

Includes: Carabiner



SPEAKER / LIGHTING STAND SCRIM SSA100B / Black SSA100W / White

Construction: Stretch nylon

Color: Available in black or white



MINI SPEAKER
STAND PACK
SSP7000
(PAGE 4)



AIR-LIFT FLAT SCREEN MOUNT
FPS6000

Mounting Bracket: Universal VESA mount	Max Screen Size: 42"
Bracket Angle Adjustment: 15° up / 15° down	Air Lift Assist: 40 lb
Height Adjustment: 47"-74"	Weight Capacity: 50 lb
Air-Lift Assist: Lifts up to 40 lb unassisted	Base Spread: 46"



LIGHTING STAND WITH TRUSS
LS7730

Application: Supports 16 PAR cans or other lighting schemes	Length: 120"
Height Adjustment: 65"-129"	Base Spread: 48"
Weight Capacity: 200 lb total	



13' TRIPOD LIGHTING/MIC STAND
LS-MS7620

Height Adjustment: 47"-156"	Construction: Aluminum
Base Spread: 35"	Fully Retracted Length: 45"
Weight Capacity: 15 lb	Color: Black



FLAT-BASE LIGHTING STAND
LS7920BLT

Application: Supports 8 PAR cans or other lighting schemes	Weight Capacity: 110 lb
Height Adjustment: 60"-120"	Base Thickness: 8 mm
Base Dimensions: 18.5" x 18.5"	Base Weight: 27 lb
Base Threading: M20	
Color: Black	



LIGHTING STAND WITH SIDE BARS
LS7720BLT

Application: Supports 8 PAR cans or other lighting schemes	Base Spread: 48"
Height Adjustment: 60"-120"	Construction: Aluminum
Weight Capacity: 110 lb	Color: Black



POWER CRANK-UP LIGHTING STAND LS7805QIK

Application: Supports 12 PAR cans or other lighting schemes

Height Adjustment: 54"-132" **Base Spread:** 54"

Weight Capacity: 80 lb **Color:** Black

Construction: Aluminum / steel



CRANK-UP LIGHTING STAND LS9900B+

Height Adjustment: 74"-157.5" **Weight Capacity:** 185 lb

T-Bar Length: 51.5" **Folded Length:** 68.31"

Weight: 52 lb

Includes: 35 mm speaker-mounting adapter




SPEAKER FIELD CART SFC9000

Dimensions: 33.5" (W) x 41.75" (H) x 33.5" (D)

Tubing Size: 1.5" x 1.5" **Construction:** Steel

Weight Capacity: 300 lb **Weight:** 100 lbs.

Color: Black Powder Coat Finish



CEILING BAR FOR MICS AND LIGHTS MY900

Application: Overhead mounting of lights and other devices

Mounting Stem Quantity: 4

Mounting-Stem Threading: 5/8"-27

Includes: Wood screws / ceiling-tile brackets

Length: 46.5"



IMPRINTABLE ITEM

LIGHTING STAND BAG LSB6500

Dimensions: 13" (W) x 62" (L) x 9" (H) **Color:** Black

Construction: Heavy-duty nylon shell / foam padding



LED WASH LIGHT RGBLED100

Application: Area lighting

Modes: Automatic, sound activated, DMX and master-slave

DMX Channels: 6

Colors: Red, Green, Blue

Dimensions: 7" x 7"

Voltage: 100-240v/56-60Hz

Rated Power: 20 W



AWARD-WINNER

U-MOUNT LIGHTING ARMS LSA7700P

Application: Mounts up to 6 PAR cans on a stand

Weight Capacity: 15 lb per arm

Includes: 6 mounting wingnuts

Color: Black

Length: 29"

Construction: Aluminum / steel



LIGHTING O-CLAMP LTA9900

Height Adjustment: 9" - 12.4"

Base Dimensions: 10" x 10"

Construction: Steel / EVA rubber on platform / rubber feet

Angle Adjustment: 0°-15°

Platform Dimensions: 9" (D) x 12" (W)

Color: Black

