

ON THE GO!

UTILITY CART
UTC2200
(PAGE 1)

On-Stage



COMPACT UTILITY CART
UTC1100

Application: Gear transportation	Weight Capacity: 330 lb
Compact Size: 26" (L) x 11.5" (W) x 7" (H)	Extended Size: 38.5" (L) x 11.5" (W) x 31.5" (H)
Front Wheel Size: 3"	Rear Wheel Size: 6"
Weight: 24.3 lb	



UTILITY CART
UTC2200

Application: Gear transportation	Weight Capacity: 485 lb
Compact Size: 18" (W) x 28.5" (L)	Extended Size: 18" (W) x 42.5" (L)
Platform Bed Height: 10.5"	Handle Height: 31"



ALL-TERRAIN UTILITY CART
UTC5500

Application: Gear transportation	Weight: 34.6 lb
Compact Dimensions: 30" (L) x 13.6" (W) x 11.2" (H)	Extended Dimensions: 52" (L) x 13.6" (W) x 37" (H)
Weight Capacity: 550 lb	Front Wheel Size: 8"
Rear Wheel Size: 10"	



UTILITY CART TRAY

UCA1500

Application: Mounts to the handles of On-Stage utility carts to create a workstation, table, or shelf

Surface Dimensions: 36" (L) x 17" (W) **Thickness:** 1.2 mm

Weight Capacity: 80 lb **Weight:** 7.5 lbs.

Color: Black



FOLDABLE TILT-BACK AMP STAND

RS6000

Weight Capacity: 120 lb

Tubing: 0.75" x 0.75"

Base Dimensions: 14" (W) x 21.5" (D)

Construction: Steel

Upper Back Arm Length: 18"

Color: Black

Lower Arm Length: 12"



UTILITY CART HANDLE BAG

UCB1250

Construction: Heavy-duty nylon

Straps: Hook and loop

Dimensions: 26" (L) x 12" (W) x 6" (D)

Color: Black

For Use With: On-Stage UTC2200 and UTC5500 Utility Carts



TILT-BACK AMP STAND

RS7000

Weight Capacity: 150 lb

Base Spread: 15.5"

Height Adjustment: 17"-24"

Width: 12"

Upper and Lower Arm Length: 12"

Arm Spread: 13"

Construction: Steel



UTILITY CART BAG

UCB2500

Construction: Heavy-duty nylon

Straps: Black

Dimensions: 40" (L) x 12" (W) x 20" (H)

Color: Black

For use with: On-Stage UTC2200 and UTC5500 Utility Carts



TABLETOP RACK STAND

RS7030

Application: 12-space rack

Weight Capacity: 75 lb

Height: 23"

Width: 19.5"

Depth: 14"

Tubing: 15 mm x 30 mm

Construction: Steel

Color: Black



FOLDABLE TILTBACK AMP STAND

RS4000

Application: Small amps / practice amps

Weight Capacity: 100 lb

Upper Back Arm Length: 14"

Lower Arm Length: 8"

Floor Dimensions: 12" (W) x 18" (D)

Construction: Steel

Tubing: 0.75"

Color: Black



PRO TILTBACK AMP STAND

RS7705

Application: Stage / studio amplifiers and monitors

Arm Width: 12"

Weight Capacity: 90 lb

Arm Depth: 11"

Base Spread: 17"

Construction: Steel



AWARD-WINNER

TILTBACK TRIPOD AMP STAND

RS7500

Application: Stage / studio amps and monitors

Weight Capacity: 100 lb

Height Adjustment: 8"-10"
(support arm height above floor)

Support Arm Lengths: 7.32"

Back Bumper Height Adjustment: 19"-36"

Angle Adjustment: 95°-110°

Mic Mount Height Adjustment: 23"-37"

Construction: Steel

Folded Dimensions: 5" (W) x 4.5" (H) x 26.5" (L)

Color: Black



AMP STAND WITH BOOM ARM

RS7501

Application: Stage or studio amps and monitors / amp miking

Weight Capacity: 100 lb

Height Adjustment: 8"-10"
(support arm height above floor)

Angle Adjustment: 95°-110°

Back Bumper Height Adjustment: 19"-36"

Amp Support Arms Length: 7.32"

Mic Mount Height Adjustment: 23"-37"

Boom Arm Size: 22" boom arm with 7" adjustable mini boom

Boom Arm Tubing: 16 mm

Color: Black

Folded Dimensions: 5" (W) x 4.5" (H) x 26.5" (L)



MOBILE EQUIPMENT STAND

MIX-400V2

Application: Holds mixers, small-to-midsize audio gear, and 1U rack-mount components

Weight Capacity: 88 lb

Height Adjustment: 28"-38"

Platform Width Adjustment: 14.5"-21.5"

Platform Length Adjustment: 12"-15.5"

Base Spread: 23"

Construction: Steel / plastic



AMP GLIDER

AG5000

Length Adjustment: 22"-29.5"

Height: 4"

Width Adjustment: 7.5"-14"

Frame Construction: Steel

Weight Capacity: 140 lb

Color: Black



NEW PRODUCT

SUB GLIDER

SG5000

Depth Adjustment: 15"-22"

Height: 4"

Usable Width Adjustment: 18.4"-33"

Weight Capacity: 155 lb

Frame Construction: Steel

Wheels: 3"

Heavy-duty casters: 6 total (2 locking)

Finish: Black powder coat



1U LOCKING RACK DRAWER

RDL1000

Dimensions: 19" (L) x 14" (W) x 1.7" (H)

Size: 1U

Construction: Steel

Color: Black



3U LOCKING RACK DRAWER

RDL3000

Dimensions: 19" (L) x 14" (W) x 5.1" (H)

Size: 3U

Construction: Steel

Color: Black



2U LOCKING RACK DRAWER

RDL2000

Dimensions: 19" (L) x 14" (W) x 3.5" (H)

Size: 2U

Construction: Steel

Color: Black



4U LOCKING RACK DRAWER

RDL4000

Dimensions: 19" (L) x 14" (W) x 6.7" (H)

Size: 4U

Construction: Steel

Color: Black



1U LOCKING RACK DRAWER (SHALLOW)

RDLS1000

Dimensions: 19" (L) x 9.5" (W) x 1.7" (H)

Size: 1U (Shallow)

Construction: Steel

Color: Black



3U LOCKING RACK DRAWER (SHALLOW)

RDLS3000

Dimensions: 19" (L) x 9.5" (W) x 5.1" (H)

Size: 3U (Shallow)

Construction: Steel

Color: Black



2U LOCKING RACK DRAWER (SHALLOW)

RDLS2000

Dimensions: 19" (L) x 9.5" (W) x 3.5" (H)

Size: 2U (Shallow)

Construction: Steel

Color: Black



4U LOCKING RACK DRAWER (SHALLOW)

RDLS4000

Dimensions: 19" (L) x 9.5" (W) x 1.7" (H)

Size: 4U (Shallow)

Construction: Steel

Color: Black



1U ADAPTABLE RACK DRAWER FOAM
RDF1000

Dimensions: 16.3" (W) x 15" (D)

Size: 1U

Construction: Medium-density foam

Color: Gray



3U ADAPTABLE RACK DRAWER FOAM
RDF3000

Dimensions: 16.3" (W) x 15" (D)

Size: 3U

Construction: Medium-density foam

Color: Gray



1U BLANK RACK PANEL
RPB1000

Thickness: 1.7 mm

Size: 1U

Construction: Steel

Color: Black



1U 500 SERIES BLANK RACK PANEL
RPB1500

Thickness: 3 mm

Size: 1U

Construction: Steel

Color: Black



3U BLANK RACK PANEL
RPB3000

Thickness: 1.7 mm

Size: 3U

Construction: Steel

Color: Black




4U BLANK RACK PANEL
RPB4000

Thickness: 1.7 mm

Size: 4U

Construction: Steel

Color: Black



2U ADAPTABLE RACK DRAWER FOAM
RDF2000

Dimensions: 16.3" (W) x 15" (D)

Size: 2U

Construction: Medium-density foam

Color: Gray



4U ADAPTABLE RACK DRAWER FOAM
RDF4000

Dimensions: 16.3" (W) x 15" (D)

Size: 4U

Construction: Medium-density foam

Color: Gray




2U BLANK RACK PANEL
RPB2000

Thickness: 1.7 mm

Size: 2U

Construction: Steel

Color: Black




1U VENTED RACK PANEL
RPV1000

Thickness: 2 mm

Size: 1U

Construction: Steel

Color: Black




2U VENTED RACK PANEL
RPV2000

Thickness: 2 mm

Size: 2U

Construction: Steel

Color: Black




3U VENTED RACK PANEL
RPV3000

Thickness: 2 mm

Size: 3U

Construction: Steel

Color: Black



4U VENTED RACK PANEL

RPV4000

Thickness: 2 mm

Size: 4U

Construction: Steel

Color: Black



1U RACK BRUSH PANEL

RPBR1000

Thickness: 1.7 mm

Size: 1U

Construction: Steel / nylon

Color: Black



2U RACK BRUSH PANEL

RPBR2000

Thickness: 1.7 mm

Size: 2U

Construction: Steel / nylon

Color: Black



6U WALL-MOUNT KNOCK-DOWN RACK

RKD6000

Dimensions: 21.65" (L) x 17.72" (W) x 14.57" (H)

Rack Mounting Holes: #10-32

Rack Space: 6U

Construction: Steel

Color: Black

Usable Depth (Rail to Rail): 14"



9U WALL-MOUNT KNOCK-DOWN RACK

RKD9000

Dimensions: 21.65" (L) x 17.72" (W) x 19.85" (H)

Rack Mounting Holes: #10-32

Rack Space: 9U

Construction: Steel

Color: Black

Usable Depth (Rail to Rail): 14"



12U WALL-MOUNT KNOCK-DOWN RACK

RKD1200

Dimensions: 21.65" (L) x 17.72" (W) x 24.41" (H)

Rack Mounting Holes: #10-32

Rack Space: 12U

Construction: Steel

Color: Black

Usable Depth (Rail to Rail): 14"



ADJUSTABLE TOP-MOUNT RACK SHELF

RSU1000

Application: Holds mixers, laptops, and other non-rack-mountable devices in a rack

Depth: 17.5"

Width Adjustment: 8"-15" (can hold 17" gear with inner locking brackets removed)

Tray Width (not including mounting lip): 17.2"

Width (including mounting lip): 19"



1U VENTED RACK SHELF 9"

RVS1000

Height: 1.74"

Length: 19"


Width: 9"

Weight: 2.83 lb

Weight Capacity: 35 lb

Construction: Steel

Color: Black



2U VENTED RACK SHELF 14"

RVS2000

Height: 3.51"

Length: 19"

Width: 14"

Weight: 4.85 lb

Weight Capacity: 35 lb

Construction: Steel

Color: Black



PACK OF RACK SCREWS

WSR7025 / 25 Pack

Application: Secures rack-mount gear to a rack

Dimensions: M5, 12 mm

Head type: Philips

Construction: Metal

Color: Black



CASTERS FOR RKD SERIES RACKS

RKD1000C

Mounting Style: Screws

Construction: Steel

Works With: On-Stage RKD6000, RKD9000, & RKD1200



16-24 CHANNEL MIXER DUST COVER

MDA7016

Length Adjustment: 27"-34"

Construction: Spandex

Width Adjustment: 19"-23"

Color: Black

Depth: 12"



32-48 CHANNEL MIXER DUST COVER

MDA7032


Length Adjustment: 47"-53"

Construction: Spandex

Width Adjustment: 24"-29"

Color: Black

Depth: 12"



AWARD-WINNER
ON-STAGE ORIGINAL

GUITAR WORKSTATION - ROSEWOOD

GWS5000RB

Amp Shelf Dimension: 24.5" (L) x 12.5" (W) x 20.5" (D)

Pedal Board Dimension: 24" (L) x 8" (W) x 3.5" (D)

Top Shelf Dimension: 24.5" (L) x 1.5" (W) x 3" (D)

Weight Capacity: 80 lb

Cabinet Construction: MDF

Includes: Hook-and-loop strips

Color: Rosewood



AWARD-WINNER
ON-STAGE ORIGINAL

GUITAR WORKSTATION - BLACK

GWS5000B

Amp Shelf Dimension: 24.5" (L) x 12.5" (W) x 20.5" (D)

Pedal Board Dimension: 24" (L) x 8" (W) x 3.5" (D)

Top Shelf Dimension: 24.5" (L) x 1.5" (W) x 3" (D)

Weight Capacity: 80 lb

Cabinet Construction: MDF

Includes: Hook-and-loop strips

Color: Black



NEW PRODUCT
ON-STAGE ORIGINAL

GUITAR UTILITY VEHICLE

GUV8000

Dimensions While in Use: 36" (L) x 24" (W) x 40" (H)

Folded-Down Dimensions: 36" (L) x 24" (W) x 12" (H)
or 16" (H) with cup holder installed

Amp Stand Dimensions: 30" (L) x 12" (W) x 22" (H)

Accessory Tray Dimensions: 7.75" (L) x 6.75" (W) x 0.38" (D)

Wheel Footprint: 32" (L) x 20.5" (W)

Weight Capacity: 300 lb

360° Swiveling Caster Quantity: 4

Caster Brake Quantity: 2

Wheel Dimensions: 8" (H) x 2.5" (W)

Tire Type: Foam filled