

ON THE RISE.

POWER CRANK-UP
SPEAKER STAND
SS8800B+
(PAGE 4)

On-Stage®

10' LIGHTING / SPEAKER STAND LS-SS7770

Height Adjustment: 44"-120"	Base Spread: 38"-58"
Reversible Speaker Pole Diameter: 1.375" or 1.5"	
Weight Capacity: 140 lb	Construction: Steel / aluminum
Color: Black	

SPEAKER / LIGHTING STAND SS8000

Height Adjustment: 55.51"-98.42"	Weight: 36 lb
Base Dimensions: 22.33" x 22.33"	Weight Capacity: 65 lb
Feet Height Adjustment: 0.25"	Base Threading: M20
Material: Steel	Color: Black
Includes: 38 mm speaker adapter	

PRODUCTION-GRADE
DESIGNED FOR PROFESSIONALS



SPEAKER STAND
SS7500

Speaker Pole Diameter: 1 3/8"	Height Adjustment: 43"-72"
Base Spread Adjustment: 32"-48"	Weight Capacity: 100 lb
Color: Black	



ALL-STEEL SPEAKER STAND
SS7725

Speaker Pole Diameter: 1.375" (1.5" adapter included)	
Height Adjustment: 46"-74"	Weight Capacity: 120 lb
Construction: Steel	Color: Black



CLASSIC SPEAKER STAND
SS7730B

Speaker Pole Diameter: 1.375" (1.5" adapter included)	
Height Adjustment: 44"-80"	Weight Capacity: 160 lb
Construction: Steel / aluminum	Color: Black



ALL-ALUMINUM SPEAKER STAND
SS7761B

Reversible Speaker Pole Diameter: 1.375" or 1.5"	
Height Adjustment: 45"-72"	Base Spread: 32"-48"
Weight Capacity: 120 lb	Construction: Aluminum
Color: Black	



SPEAKER STAND WITH ADJUSTABLE LEG
SS7762B

Reversible Speaker Pole Diameter: 1.375" or 1.5"	
Length: 45"-72"	Base Spread: 32"-48"
Leveling Leg Adjustment: 0"-8"	Weight Capacity: 110 lb
Construction: Aluminum	Color: Black



AIR-LIFT SPEAKER STAND
SS7764B

Speaker Pole Diameter: 1.375"	Height Adjustment: 47"-74"
Base Spread: 46"	Weight Capacity: 100 lb
Lift Assist: 40 lb	Construction: Aluminum / steel
Color: Black	



MINI ADJUSTABLE SPEAKER STAND
SSAS7000B

Speaker Pole Diameter: 1.375"	Height Adjustment: 27"–46"
Base Spread: 12.5"	Weight Capacity: 60 lb
Construction: Aluminum	Color: Black



POWER CRANK-UP SPEAKER STAND
SS8800B+

Speaker Pole Diameter: 1.375" (1.5" adapter included)	Weight Capacity: 80 lb
Height Adjustment: 47"–80"	Color: Black
Construction: Aluminum / steel	





MINI SPEAKER STAND PACK
SSP7000

Reversible Speaker Pole Diameter: 1.375"	
Height Adjustment: 27"–48"	Weight Capacity: 60 lb each
Construction: Aluminum	Color: Black
Bag material: Heavy-duty padded nylon	



NEW PRODUCT
SPEAKER STAND PACK
SSP7650

Includes: 2 stands and carry bag		Speaker Pole Diameter: 1 3/8"
Height Adjustment: 43"–72"	Base Spread Adjustment: 32"–48"	
Weight Capacity: 100 lb	Color: Black	



COMPACT SPEAKER STAND PACK
SSP7750

Includes: 2 stands and carry bag		Speaker Pole Diameter: 1.375"
Height Adjustment: 37"–60"	Weight Capacity: 60 lb	
Construction: Aluminum	Bag Material: Heavy-duty nylon	
Color: Black		



PROFESSIONAL SPEAKER STAND PACK
SSP7850

Height Adjustment: 46"–74"	Weight Capacity: 120 lb each
Construction: Steel	Color: Black



ALL-ALUMINUM SPEAKER STAND PACK
SSP7900

Height Adjustment: 45"–74.75"	Weight Capacity: 120 lb each
Reversible Speaker Pole Diameter: 1.375" with 1.5" nylon	Bag Material: Heavy-duty
Construction: Aluminum adapter included	Color: Black



ALL-ALUMINUM SPEAKER STAND PACK WITH BAG
SSP7950

Reversible Speaker Pole Diameter: 1.375" or 1.5"	
Height Adjustment: 45"–72"	Weight Capacity: 120 lb each
Construction: Aluminum	Color: Black
Bag material: Heavy-duty nylon	



AWARD-WINNER

WOOD STUDIO MONITOR STANDS
SMS7500B

Height Adjustment: 35.5"–56.5"	Platform Dimensions: 13.75" x 12.63"
Base Dimensions: 16" x 15"	Weight Capacity: 90 lb
Construction: Steel / wood	Color: Black



AWARD-WINNER

WOOD STUDIO MONITOR STANDS
SMS7500RB

Height Adjustment: 35.5"–56.5"	Platform Dimensions: 13.75" x 12.63"
Base Dimensions: 16" x 15"	Weight Capacity: 90 lb
Construction: Steel / wood	Color: Rosewood



WOOD STUDIO MONITOR STANDS
SMS7500W

Height Adjustment: 35.5"–56.5"	Platform Dimensions: 13.75" x 12.63"
Base Dimensions: 16" x 15"	Weight Capacity: 90 lb
Construction: Steel / wood	Color: White



STUDIO MONITOR STANDS (PAIR)
SMS6000-P

Height Adjustment: 36.5"–54"	Platform Dimensions: 9.5" x 9.5"
Base Spread: 18"	Weight Capacity: 90 lb
Construction: Steel	Color: Black



ON-STAGE ORIGINAL

HEX-BASE MONITOR STANDS
SMS6600-P

Height Adjustment: 36.5"–54"	Platform Dimensions: 9.5" x 9.5"
Base Spread: 14"	Weight Capacity: 90 lb
Construction: Steel	Color: Black



NEW PRODUCT

AIRLIFT SPEAKER POLE
SS7748

Length Adjustment: 36.5"–60"	Speaker Pole Diameter: 1.375"
Weight Capacity: 100 lb	Construction: Steel
Color: Black	

PRODUCTION-GRADE
DESIGNED FOR PROFESSIONALS



ADJUSTABLE SUBWOOFER ATTACHMENT SHAFT
SS7745L0K


Length Adjustment: 32.5"–47"	Speaker Pole Diameter: 1.375"
Weight Capacity: 100 lb	Construction: Steel
Color: Black	



M20 THREADED
MOST POPULAR

SUBWOOFER POLE WITH M20 THREAD
SS7746

Length Adjustment: 30"–54"	Speaker Pole Diameter: 1.375"
Weight Capacity: 100 lb	Construction: Steel
Color: Black	



SUBWOOFER ATTACHMENT SHAFT
SS7740

Length: 42"	Speaker Pole Diameter: 1.375"
Weight Capacity: 160 lb	Construction: Steel
Color: Black	



MOST POPULAR

ADJUSTABLE SUBWOOFER ATTACHMENT SHAFT
SS7745

Length Adjustment: 31.625"–55"	Speaker Pole Diameter: 1.375"
Weight Capacity: 80 lb	Construction: Steel
Color: Black	



CRANK-UP SUBWOOFER POLE
SS7747v2

Length Adjustment: 40"–63"	Speaker Pole Diameter: 1.375"
Weight Capacity: 145 lb	Construction: Steel
Color: Black	



ADJUSTABLE WALL-MOUNT SPEAKER BRACKET
SS7322B

Distance from Wall: 12.5"–15" (depending on tilt angle)	
Left-to-Right Angle Adjustment: 30° either direction	
Tilt Angle Adjustment: 0°–30° down	Color: Black
Weight Capacity: 80 lb	



STEERABLE ARRAY BRACKET
SS7990

Steering: Up to 180° with correct cables	Length: 17.75"
Includes: (6) 8 mm eyebolts (3 per mount)	Weight Capacity: 80 lb per mount



WALL-MOUNT SPEAKER BRACKET
SS7323B

Distance from wall: 12.5"–15" (depending on tilt angle)	
Left-to-Right Angle Adjustment: 30° either direction	
Tilt Angle Adjustment: 0°–45° down	Construction: Steel
Weight Capacity: 100 lb	Color: Black



DUAL-MOUNT SPEAKER BRACKET
SS7920

Bracket Length: 20" from the center of one speaker pole to the center of the other speaker pole	Construction: Steel
Weight Capacity: 80 lb distributed evenly	Color: Black
Speaker Pole Diameter: 1 3/4"	



MOST POPULAR

WALL-MOUNT SPEAKER BRACKET
SS7914B

Length: 15.5" (from the inside of the bracket to the center of the speaker pole)	Weight Capacity: 80 lb
Construction: Steel	Color: Black



EXTERIOR MOUNTING BRACKET
EB9760

Application: Adds a 1.375" pole-mount socket to a speaker	
Dimensions: 7.375" x 4.375"	Construction: Heavy-duty plastic
Includes: (4) mounting screws	Color: Black



STUDIO
MONITOR STANDS
SMS6000-P
(PAGE 8)



12" SPEAKER BAG
SB1200

Construction: Heavy-duty nylon shell / foam padding
Bag Dimensions: 24.5" (L) x 14.5" (W) x 15" (D)



15" SPEAKER BAG
SB1500

Construction: Heavy-duty nylon shell / foam padding
Bag Dimensions: 28.5" (L) x 19.5" (W) x 18.7" (D)



NEW PRODUCT

SPEAKER STAND TRAY
SS1000

Mounting Tube Diameter: 1 3/8"	Tray Dimensions: 16.5" (L) x 15" (W)
Tray Thickness: 0.8"	Weight Capacity: 30 lb
Weight: 6.5 lb	Construction: Steel / EVA
Color: Black	Includes: Hex wrench



MOST POPULAR
IMPRINTABLE ITEM

SPEAKER STAND BAG
SSB6500

Bag Dimensions: 50" (L) x 10" (W) x 5" (D)	Color: Black
Construction: Heavy-duty nylon shell / foam padding	



LOCKING SPEAKER ADAPTER
SSA45LOK

Application: Stabilizes speaker pole/socket connections	
Length: 12" including 3" speaker-pole overlap	
Construction: Steel tubing / plastic pressure pads	
Diameter: 1.375"	Color: Black




SPEAKER CABINET INSERT
SSA1.375 SSA1.5

Application: Adds a pole-mount socket to a speaker	Construction: Steel
SSA1.375 Diameter: 1.375"	SSA1.5 Diameter: 1.5"



SPEAKER STAND ADAPTER
SSA3

Application: Reduces the diameter of a 1.375" speaker pole to 1"	
Lower Diameter (Female): 1.375"	Upper Diameter (Male): 1"
Construction: Steel	Color: Black



M20 SPEAKER CABINET ADAPTER
SSA20M

Application: Replaces a 1.375" pole-mount socket with an M20-threaded socket	
Includes: 4 mounting screws	Construction: Steel
Color: Black	



ADAPTER SLEEVE FOR SPEAKER BRACKETS
SSA2

Application: Increases the diameter of a 1.375" speaker pole to 1.5"	
Inner Diameter: 1.375"	Outer Diameter: 1.5"
Construction: Steel	Color: Black



SUBWOOFER ADAPTER
SSA21

Application: Enables an M20-threaded speaker-stand shaft to connect to virtually any subwoofer pole-mount socket	
Lower Adapter: 1.375" with a removable male M20-threaded stem	
Upper Adapter: Female M20	Construction: Steel
Includes: Hex key for M20 stem removal	



SAFETY CABLE
SSACB28

Application: Backup attachment for overhead equipment	
Thickness: 3 mm	Length: 28"
Maximum Load: 60 lb	Construction: Steel
Includes: Carabiner	



SPEAKER / LIGHTING STAND SCRIM
SSA100B / Black SSA100W / White

Construction: Stretch nylon	Color: Available in black or white
------------------------------------	---





AIR-LIFT FLAT SCREEN MOUNT
FPS6000

Mounting Bracket:	Universal VESA mount	Max Screen Size:	42"
Bracket Angle Adjustment:	15° up / 15° down	Air Lift Assist:	40 lb
Height Adjustment:	47"-74"	Weight Capacity:	50 lb
Air-Lift Assist:	Lifts up to 40 lb unassisted	Base Spread:	46"



LIGHTING STAND WITH TRUSS
LS7730

Application:	Supports 16 PAR cans or other lighting schemes	Length:	120"
Height Adjustment:	65"-129"	Base Spread:	48"
Weight Capacity:	200 lb total		



13' TRIPOD LIGHTING/MIC STAND
LS-MS7620

Height Adjustment:	47"-156"	Construction:	Aluminum
Base Spread:	35"	Fully Retracted Length:	45"
Weight Capacity:	15 lb	Color:	Black



LIGHTING STAND WITH SIDE BARS
LS7720BLT

Application: Supports 8 PAR cans or other lighting schemes	
Height Adjustment: 60"–120"	Base Spread: 48"
Weight Capacity: 110 lb	Construction: Aluminum
Color: Black	



FLAT-BASE LIGHTING STAND
LS7920BLT

Application:	Supports 8 PAR cans or other lighting schemes	Weight Capacity:	110 lb
Height Adjustment:	60"-120"	Base Thickness:	8 mm
Base Dimensions:	18.5" x 18.5"	Base Weight:	27 lb
Base Threading:	M20		
Color:	Black		



POWER CRANK-UP LIGHTING STAND
LS7805QIK

Application: Supports 12 PAR cans or other lighting schemes	
Height Adjustment: 54"-132"	Base Spread: 54"
Weight Capacity: 80 lb	Color: Black
Construction: Aluminum / steel	



CRANK-UP LIGHTING STAND
LS9900B+

Height Adjustment: 74"-157.5"	Weight Capacity: 185 lb
T-Bar Length: 51.5"	Folded Length: 68.31"
Weight: 52 lb	
Includes: 35 mm speaker-mounting adapter	



SPEAKER FIELD CART
SFC9000

Dimensions: 33.5" (W) x 41.75" (H) x 33.5" (D)	
Tubing Size: 1.5" x 1.5"	Construction: Steel
Weight Capacity: 300 lb	Weight: 100 lbs.
Color: Black Powder Coat Finish	



CEILING BAR FOR MICS AND LIGHTS
MY900

Application: Overhead mounting of lights and other devices	Includes: Wood screws / ceiling-tile brackets
Mounting Stem Quantity: 4	Length: 46.5"
Mounting-Stem Threading: 5/8"-27	



U-MOUNT LIGHTING ARMS
LSA7700P

Application: Mounts up to 6 PAR cans on a stand	
Weight Capacity: 15 lb per arm	Length: 29"
Includes: 6 mounting wingnuts	Construction: Aluminum / steel
Color: Black	



LIGHTING O-CLAMP
LTA9900

Height Adjustment: 9" - 12.4"	Angle Adjustment: 0°-15°
Base Dimensions: 10" x 10"	Platform Dimensions: 9" (D) x 12" (W)
Construction: Steel / EVA rubber on platform / rubber feet	Color: Black



LED WASH LIGHT
RGBLED100

Application: Area lighting	Dimensions: 7" x 7"
Modes: Automatic, sound activated, DMX and master-slave	Voltage: 100-240v/56-60Hz
DMX Channels: 6	Rated Power: 20 W
Colors: Red, Green, Blue	



LIGHTING STAND BAG
LSB6500

Dimensions: 13" (W) x 62" (L) x 9" (H)	Color: Black
Construction: Heavy-duty nylon shell / foam padding	