....... HEAVY-DUTY MIC STAND WITH 12" BASE MS9212 HEAVY-DUTY TELE-BOOM MIC STAND MS9701TB+ -(PAGE 5) (PAGE 2) **On-Stage**

MOST POPULAR

MS7700B Height A Threadin



TRIPOD-BASE MIC STAND

Adjustment: 32"-61.5"	Base Spread: 23"
ing: 5/8"-27	Color: Black

MS8301

Color: Black

Height Adjustment: 39"-63"

Upper Shaft Tilt Adjustment: 0°-40°

Base Spread: 23"

Threading: 5/8"-27

<image/>	<image/>	
UPPER ROCKER-LUG MIC STAND WITH TRIPOD BASE	EURO BOOM MIC STAND MS7701B / Black	T

MS7701C / Chrome

Color: Black

Height Adjustment: 32"-61.5" Boom Length: 30" Threading: 5/8"-27

Base	Spread:	23
Dusc	opicau.	20


MOST	PO	PUL	AR .

TELESCOPING EURO BOOM MIC STAND MS7701TB

Height Adjustment: 32"-61.5"	Base Spread: 23"	
Color: Black	Threading: 5/8"-27	
Boom Length Adjustment: 20"-3	36"	

2





Base Spread: 24"

Threading: 5/8"-27

MS7801W

Height Adjustment: 37"-64"	Base Spread: 23"
Threading: 5/8"-27	Boom Length: 31"
Color: White	

MIC STAND MS9700B+ Height Adjustment: 36"-64" Construction: Steel / zinc

Color: Black

HEAVY-DUTY	EURO	B00
MIC STAND		
MS9701B+		

Height Adjustment: 36"-64
Threading: 5/8"-27
Construction: Steel / zinc

Boom Length: 30"

Color: Black

Base Spread: 24"

MOST POPULAR

HEAVY-DUTY TELE-BOOM MIC STAND

Boom Length Adjustment: 19"-30"

MS9701TB+

Construction: Steel / zinc

Height Adjustment: 36"-64"	Base Spread: 24"	
Threading: 5/8"-27	Color: Black	

produit 2 :	
Black	



MIC STAND PACK

MS7500

Boom Length: 31.5"

Height Adjustment: 41.5"-63"

Microphone: Dynamic with cardioid pattern

Microphone Frequency Response: 80 Hz-12 kHz

Cable: 13' XLR-QTR Hi-Z

Includes: Microphone, cable, mic clip and mic pouch



PROP 65 WARNING

Boom Length: 19.5" Height Adjustment: 26"-42"

Cable: 13' XLR-QTR Hi-Z

MS7515

MIC STAND PACK – SMALL

Microphone: Dynamic with cardioid pattern

Microphone Frequency Response: 80 Hz-12 kHz

Includes: Microphone, cable, mic clip and mic pouch





THREE EURO BOOM MIC STANDS WITH BAG MSP7703

Height Adjustment: 32"-61.5"	
Base Spread: 23"	
Boom Length: 30"	
Threading: 5/8"-27	
Bag Dimensions: 38" (L) x 6" (W) x 4" (D)
Bag Construction: Heavy-duty nylon / f	oam padding
Color: Black	

SIX EURO	BOOM	MIC	STANDS	WITH	BAG
MSP7706					

Base Spre	ead: 23"
Boom Len	ngth: 30"
Threading	: 5/8"-27
Bag Dime	nsions: 38" (L) x 6" (W) x 4" (D)
Bag Const	truction: Heavy-duty nylon / foam padding
Color: Bla	ck



ROUND-BASE MIC STAND

MS7201B / Black MS7201C / Chrome MS7201W / White

MOST POPULAR

Height Adjustment: 33"-60"

Upper Threading: 5/8"-27

Base Diameter: 10" Color: Black Base Weight: 7 lb

QUIK-RELEASE ROUND-BASE MIC STAND MS7201QRB Height Adjustment: 34"-62"

Upper Threading: 5/8"-27

Base Diameter: 10" Base Weight: 7 lb



QUARTER-TURN ROUND-BASE MIC STAND

MS7201QTR / Black MS7201QTRW / White

Height Adjustment: 34"-60"

Upper Threading: 5/8"-27 Base Weight: 6.4 lb

Color: Black

Base Diameter: 10"

Upper Threading: 5/8"-27

Color: Black

PROGRIP DOME-BASE MIC STAND MS7255PG

Height Adjustment: 38"-61" Base Diameter: 10"

Base Weight: 9 lb

Upper ' Base Th

*on newer versions

5



Height Adjustment: 34"-61"	Base Diameter: 10"	
Upper Threading: 5/8"-27	Base Weight: 7 lb	
Base Threading: 7/8"-27*	Color: Black	

M20 THREADED

HEAVY-DUTY MIC STAND WITH 10" BASE

MS9210

Height Adjustment: 36"-65" Upper Threading: 5/8"-27

Base Threading: M20

Base Diameter: 10" Base Weight: 6 lb Color: Black



Upper Threading: 5/8"-27

Base Threading: M20

Base Diameter: 12" Base Weight: 10 lb Color: Black

M20	TΗ	DE	٨n	FN
MZU	ш	11	нIJ	

THREE-SECTION MIC STAND MS9312

e Weight: 10 lb
or: Black





M20 THREADED ON-STAGE ORIGINAL

UTILITY STAND FOR PEDALBOARD GPA1003

Height Adjustment: 41"-69"	Base Weight: 8 lb
Base Threading: M20	Color: Black

Base Threading: M20

Base Spread: 17.9" x 10.35" (designed to slide under pedal boards)

Upper Threading: 5/8"-27

Upper Shaft Tilt Adjustment: 0°-40°

ON-STAGE ORIGINAL

HEX-BASE QUARTER-TURN THREADLESS MIC STAND MS7625B

Height Adjustment: 33"-61" Base Spread: 11.5" Upper Threading: 5/8"-27 Base Weight: 6 lb

Color: Black

M20 THREADED ON-STAGE ORIGINAL	

STUDIO MIC BOOM SMS7630B

Height Adjustment: 42"-72" Threading: 5/8"-27 Base Spread: 15" Base Threading: M20 Base Weight: 16 lb Color: Black Boom Length Adjustment: 32.5"-47"



HEX-BASE STUDIO BOOM MIC STAND SMS7650

reading: 5/8"-27	
Threading: 5/8"-27	
Base Threading: M20	
Color: Black	

	Base Threading: M20
	Color: Black
70	

SB960 Height _____ Base S _____ Boom L _____



TRIPOD STUDIO MIC BOOM WITH **7" MINI-BOOM EXTENSION**

۱	Λ		
J	υ		

Mini
Threa
Color

	Mini Boom Length: 7"
18"	Threading: 5/8"-27
79"	Color: Black



STUDIO MIC BOOM WITH 7" MINI-BOOM EXTENSION AND CASTERS SB96+

Height Adjustment: 45"-76"	Mini Boom Length: 7"
Base Spread: 34"	Threading: 5/8"-27
Base Includes: Locking casters	Color: Black
Boom Length Adjustment: 43"–79"	



HANDHELD MIC BOOM POLE MBP7000

Leng	th Ac	ljus	tm	ent:	3.1'-	-8.1
		-				

Weight: 0.95 lb

Threading: 5/8"-27 male and Color: Black

Materials: Aluminum / EVA rubber grip

3/8"-27 female



MSA7020B Length Adjustment: 32"-48"

Threading: 5/8"-27

Maximum Rotation: 360°

Color: Black

TELESCOPING MIC BOOM MSA7020TB

Length: 32"-48"	Maximum Rotation: 360°
Threading: 5/8"-27	Color: Black

36"-65" MIC STAND SHAFT WITH M20 THREADING

-65

MSS9212

MICR

Height	Adjustment:	36'

Lower Threading: M20

Upper Threading: 5/8"-27 Color: Black




39"–97" THREE-SECTION MIC STAND SHAFT WITH M20 THREADING MSS9312

MS	559	31	2	

Height Adjustment: 39"–97"

Upper Threading: 5/8"-27

Lower Threading: M20 Color: Black



MS7311B Height / Boom L Base Th



M20 THREADED

DRUM / AMP MIC STAND

Base Spread: 6.5"
Base Weight: 7 lb
Color: Black



BASS DRUM / BOOM COMBO STAND MS7920B

Height Adjustment: 8"-14"	
---------------------------	--

Base Spread: 4.5" x 7.5"

Boom Length: 16" Color: Black



MOST POPULAR

DRUM / AMP TRIPOD MIC STAND WITH BOOM MS7411B

Height Adjustment: 17"-27"	Base Spread: 26"
Boom Length: 19"	Color: Black



DRUM / AMP TRIPOD MIC STAND WITH TELE BOOM

Adjustment: 17"-27"	
ength Adjustment: 20"-36"	

Base Spread: 26"	
Color: Black	



PRO HEAVY-DUTY KICK DRUM MIC STAND MS9411TB+

Height Adjustment: 15"-24" Boom Length Adjustment: 19"-33" Base Spread: 19"

Color: Black



DRUM / AMP MIC STAND WITH TELESCOPING BOOM MS9417

Height Adjustment: 17"-28.5"	
Boom Length Adjustment: 21.5"-36"	В
Threading: 5/8"-27	С

Base Diameter: 10"

Base Weight: 6 lb

Color: Black

10



POSI-LOCK DESKTOP MIC STAND

DS300B

Base Weight: 3 lb	
Color: Black	

Boom Length: 7"
Base Diameter: 6"



ON-STAGE ORIGINAL

DESKTOP MIC STAND WITH ROCKER LUG DS8200

Base Diameter: 6"	Height Adjustment: 9"-14.25"
Base Weight: 3 lb	Upper Shaft Tilt Range: 40°
Color: Black	



DESKTOP MIC STAND WITH ROCKER LUG DS8100

Base Diameter: 6"	Height: 12"
Base Weight: 3 lb	Upper Shaft Tilt Range: 40°
Color: Black	

DS6213 Base S _____ Base W

MICR



MOST POPULAR

ADJUSTABLE DESKTOP MIC STAND

DS7200B / Black	DS7200C / Chrome
Base Diameter: 6"	Height Adjustment: 9"-13
Base Weight: 2 lb	Color: Black or chrome



MOST POPULAR

DESKTOP MIC STAND DS7100B / BLACK

Base Diameter: 6" Base Weight: 2 lb



DS7100C / CHROME Height: 4"

Color: Black or chrome



QUICK-RELEASE DESKTOP MIC STAND DS7200QRB

Base Diameter: 6"	Height Adjustment: 9"-13"
Base Weight: 2 lb	Color: Black or chrome

MBS7500

11



GOOSENECK DESKTOP MIC STAND

Spread: 5.6" x 6.75"	Maximum Height: 14"
Weight: 2.4 lb	Color: Black



TRIPOD DESKTOP MIC STAND DS7425

Base Spread: 7.5"	Height Adjustment: 4.3"-6.7"
Includes: Mic clip	Color: Black and chrome



BROADCAST MIC BOOM ARM MBS5000

Vertical Arm Length: 19.5"	Horizontal Arm Length: 19.5"
Total Reach: 38"	Threading: 5/8"-27
Weight Capacity: 3.5 lb	Included: Pre-installed 10' XLR cable
Mounting Options: C-clamp, screw-down flange mount	



PROFESSIONAL STUDIO MIC BOOM ARM

Vertical Arm Length: 19.5"	Horizontal Arm Length: 19.5"
Total Reach: 38"	Threading: 5/8"-27
Weight Capacity: 3.5 lb	Color: Black
Mounting Options: C-clamp, so	rew-down flange mount



MICROPHONE BOOM ARM MBS9500

Vertical Arm Length: 16"	Weight Capacity: 3.5 lb
Horizontal Arm Length: 16"	Threading: 5/8"-27
Total Reach: 32"	Color: Black



TELESCOPING MIC BOOM WITH DUAL MIC CAPABILITY MSA9800

Length Adjustment: 21.5"-36"	Construction: Steel
Max Rotation: 320°	Color: Black
Threading: 5/8"-27	



PLATINUM SERIES TELE BOOM ARM

ß MSA9720TB

Length Adjustment:	19"-30
Threading: 5/8"-27	
Color: Black	

9"–30"	Maximum Rotation: 320°	
	Construction: Steel	



TELESCOPING MIC BOOM

MSA7040TB

Length Adjustment: 19"-32 Threading: 5/8"-27

Color: Black

2"	Maximum Rotation: 320°	
	Construction: Steel	



CLAMP-ON MIC BOOM ARM MSA8020

Maximum Rotation: 320°	
Construction: Steel	
Color: Black	

MSA-9505 Length Color: E



COUNTERWEIGHT CW-3 / 2.5 lb

CW-6 / 5.5 lb

Application		Mic stand balance and stability	
	Clamp Size:	Fits tubing 14 mm–22 mm in diame	te

Construction: Solid steel Color: Black



POSI-LOCK CLUTCH MSA-9501

Application: Vocals and instruments Max Rotation: 320°

Threading: 5/8"-27

Diameter: 1.75"

Color: Black



7" POSI-LOCK CLUTCH MSA-9502

Application: Vocals and instruments	Length: 7"	
Max Rotation: 300°	Color: Black	
Threading: 5/8"-27		





POSI-LOCK TELE BOOM

Length: 7"	Maximum Rotation: 300°
Color: Black	Threading: 5/8"-27



POSI-LOCK SIDE MOUNT MINI BOOM MSA-9508

Length: 7"

Color: Black

Maximum Rotation: 300°
Threading: 5/8"-27



6" GOOSENECK MSA9030-06B / Black

Length: 6"

Construction: Metal

MSA9030-06C / Chrome

Threading: 5/8"-27 Color: Black or chrome



13" GOOSENECK MSA9030-13B / Black

MSA9030-13C / Chrome

Color: Black or chrome

Construction: Interlocking rolled metal



MSA9030-19B / Black

Length: 19"

MSA9030-19C / Chrome

Color: Black or chrome

Construction: Interlocking rolled metal



CEILING BAR FOR MICS AND LIGHTS MY900

Application: Ceiling bar for mics and lights Length: 46.5" second mic stand accessory

Includes: Wood screws, brackets, and lugs Lug Threading: 5/8"-27





MOST POPULAR

FLANGE MOUNT

ß TM08E Applica

MICI

B / Black		
ation:	Mounts mic clips to flat surface	

TM08C / Chrome faces Diameter: 2.3"

Threading: 5/8"-27 Shock Pad: 3 mm

Colors: Black or Chrome



U-MOUNT[®] DESK FLANGE MOUNT UM5006

Application: Mounts u-Mount [®] posts and accessories to flat surfaces	Boom Length: 19.5"
Diameter: 2.25"	Shock pad: 3 mm
Threading: 5/8"-27	Included: 3 mounting screws
Color: Black	



MULTI-MIC HOLDER MSA2700

Dimensions: 6.75" x 7.5"	Construction: Aluminum
hreading: 5/8"-27	Color: Black
ncludes: 3/8" adapter	

MY500 Applica Threadi



TABLE / STAND MIC CLAMP TM01

Clamp:	0.625"–1.625"
--------	---------------

Threading: 5/8"-27

Color: Black and chrome



TABLETOP MIC CLAMP TM03

C-Clamp Accepts: 0.625"-1.625" Threading: 5/8"-27

Color: Black



MIC-EXTENSION ATTACHMENT BAR MY550

Application: Additional 5/8"-27 end for	Length: 6"
second mic stand accessory	

Threading: 5/8"-27

Color: Black



STEREO MIC BAR

Application: Holds 3 mic clips	Tilt: 95°
Threading: 5/8"-27	Color: Black



DELUXE STEREO MIC BAR MY700

Application: Holds up to 6 mic clips Angle Adjustment: 0°-45°

Threading: 5/8"-27







U-MOUNT® MULTI-FUNCTION MOUNT MSA8204 / Small

Application: Mic stand accessories MSA8204: Fits shafts 11 mm-22 mm MSA8304: Fits shafts 22 mm-30 mm

AWARD-WINNER MSA8304 / Large

> Color: Black Threading: 5/8"-27



MOST POPULAR

VIDEO CAMERA / DIGITAL RECORDER ADAPTER CM01

Application: Mounts camera to mic stand Male Threading: 1/4"-20 Tilt Angle Adjustment: 180°

Female Threading: 5/8"-27 Pan Adjustment: 360° Weight: 0.3 lb





ISOLATION SHIELD

ASMS4730

ŝ

Application: Acoustic Shield Dimensions: 18 1/2" x 12" x 2" Color: Black and chrome Weight: 4.5 lb




CLAMP-ON ACCESSORIES HOLDER MY570

Application : Holds studio headphones, cables, or small instruments	C-Cla

Dimensions: 3" (L) x 3.5" (W)

Color: Black





MOST POPULAR



MA-300

Application: Convert 5/8" male threading to Color: Chrome 3/8" female threading Quantity: 2 per package



MOST POPULAR

3/8" MALE TO 5/8" FEMALE MIC SCREW ADAPTER MA-100 / Chrome MA-100B / Black

Application: Convert 3/8" male threading to Color: Black or chrome 5/8" female threading



MOST POPULAR

5/8"-27 FEMALE TO 1/4"-20 ADAPTER MA-125

Application: Mounts camera to mic stand	Female Threading: 5/8"-27
Male Threading: 1/4"-20	Color: Chrome



5/8" MALE TO 3/8" FEMALE MIC SCREW ADAPTER MA-200

oplication: Convert 3/8" male threading	Color: Chron
5/8" female threading	



5/8" MALE TO 3/8" FEMALE SCREW ADAPTER



U-MOUNT® FEMALE-TO-FEMALE ADAPTER UM-88

Application: Convert 5/8"-27 male threading Color: Black to 5/8"-27 female threading



U-MOUNT® MALE-TO-MALE ADAPTER UM-99

Application: Convert 5/8"-27 female threading Color: Black to 5/8"-27 male threading

PROFESSIONAL QUICK-RELEASE MIC ADAPTER

QK-10B

ß

Application:	Push-button	quick-release for
mic clips		

Color: Black and chrome

Threading: 5/8"-27



MOST POPULAR

mic clips

QUICK-RELEASE MIC ADAPTER QK-2B / Black QK-2C / Chrome

Application: Push-button quick-release for Color: Black or chrome

Threading: 5/8"-27

BALL-JOINT MIC ADAPTER MM01

Application: Adds a ball joint with 5/8"-27 Weight Capacity: 6 lb threading to any standard mic stand

Tilt Angle Adjustment: 180°

Rotational Adjustment: 360°



Color: Black





MOST POPULAR

UNBREAKABLE DYNAMIC RUBBER MIC CLIP MY100

Application: Flexible tapered-style mic clip Color: Black for dynamic mics



MOST POPULAR

UNBREAKABLE WIRELESS RUBBER MIC CLIP MY110

Expanded Maximum Diameter: 35 mm

Color: Black

Relaxed Diameter: 23 mm-18 mm



UNBREAKABLE RUBBER CONDENSER MIC CLIP MY120

Expanded Maximum Diameter: 22 mm

Relaxed Diameter: 18 mm

CONDENSER SHOCK MOUNT MIC CLIP MY320

19



MOST POPULAR

CLOTHESPIN-STYLE PLASTIC MIC CLIP MY200

Expanded Maximum Diameter: 35 mm

Relaxed Diameter: 23 mm-18 mm



EURO-STYLE PLASTIC MIC CLIP MY250

Color: Black



ELLIPTICAL MIC CLIP MY251

Diameter: 25 mm

Color: Black



Color: Black

Color: Black



Diameter: 20 mm



Diameter: 25 mm

MOST POPULAR

DYNAMIC SHOCK MOUNT MIC CLIP MY325

Diameter: 25 mm

Color: Black



MOST POPULAR

WIRELESS SHOCK MOUNT MIC CLIP MY330

Diameter: 30 mm

Color: Black



SHOCK MOUNT FOR STUDIO MICS (55 MM–60 MM)

ES MY430 CESSC ^A

MICROF

Diameter: Accepts 55 mm-60 mm	Color: Black
Threading: 5/8"-27	



SHOCK MOUNT MY440	
Diameter: Medium (48-54mm)	Color: Black
Diameter: Medium (48-54mm)	Color: Black

Threading: 5/8"-27

ASVS6-B

POP BLOCKER ASVS4-B Application:

Application: Improves vocal recordings	
ASVS4-B Diameter: 4"	
ASVS6-B Diameter: 6"	

Clamp: Clothespin style Construction: Nylon screen Color: Black



SHOCK MOUNT FOR STUDIO MICS MY420

Diameter: Accepts 19 mm–30 mm	Diameter:	Accepts	19	mm-30	mm
-------------------------------	-----------	---------	----	-------	----

Threading: 5/8"-27

Color: Black



SHOCK MOUNT FOR STUDIO MICS MY410B / Black MY410CG / Champagne

Diameter: Accepts 42 mm-48 mm

Color: Black or champagne

Threading: 5/8"-27



POP BLOCKER ASVS6-GB

Diameter: 6"

Application:	Improves	vocal	recordings
--------------	----------	-------	------------

Construction: Nylon screen _____

Color: Black

Clamp: C-clamp with 11.5" gooseneck

BROADCAST MIC BOOM ARM MBS5000 (PAGE 12)

CLOTHESPIN-STYLE Plastic Mic Clip

MICROPHONE BOOM ARM MBS9500 (PAGE 12)



DUAL-SCREEN POP BLOCKER

ASFSS6-GB

ß

Application:	Improves vocal recordings	

Diameter:	6"

Clamp: C-clamp with 11.5" gooseneck



POP BLOCKER FILTERS FOR ASVSR6-GB ASVS6R3

Diameter: 6" Color: Black Construction: Nylon screen

ASFSR6-GB

Application: Improves vocal recordings Construction: Replaceable nylon screens Color: Black

Color: Various

Diameter: 6" Clamp: C-clamp with 12" gooseneck

POP BLOCKER WITH REPLACEMENT FILTERS



METAL POP BLOCKER

ASVSM5-B

Screen Diameter: 5.38"

Clamp Opening: Up to 1"	Constructio
Gooseneck Length: 13"	



Construction: Dual nylon screens

Color: Black



ASVS58B9 / 9-Pack

Application: Reduce wind, breath, and popping noises Material: Flexible foam

Size: Fits most standard handheld mics

Color: Black

COLOR WINDSCREEN PACK

ASVS58C5 / 5-Pack ASVS58C9 / 9-Pack Application: Reduce wind, breath, and popping noises Material: Flexible foam

Size: Fits most standard handheld mics



MOST POPULAR

FOAM WINDSCREEN

ASWS58-B / Black ASWS58-BL / Blue ASWS58-R / Red

Application: Reduce wind, breath, and popping noises Material: Flexible foam

Size: Fits most standard handheld mics



FOAM WINDSCREEN ASWS58-P

Application: Reduce wind, breath, and popping noises Material: Flexible foam Size: Fits most sta

, , , , , , , , ,	
tandard dynamic mics	Color: Purple



FOAM WINDSCREEN ASWS58-Y

Application: Reduce wind, breath, and popping noises	Material: Flexible foam	
Size: Fits most standard dynamic mics	Color: Yellow	



FOAM WINDSCREEN

Application: Reduce wind, breath, and popping noises	Material: Flexible foar
Size: Fits most standard dynamic mics	Color: Orange

FOAM WINDSCREEN ASWS58-GRN

Application: Reduce wind, breath, and popping noises Material: Flexible foam

Size: Fits most standard dynamic mics

Color: Green



FOAM WINDSCREEN ASWS58-GRY

Application: Reduce wind, breath, and popping noises	Material: Flexible foam
Size: Fits most standard dynamic mics	Color: Gray





WINDSCREENS FOR HEADSET MICROPHONES

ASVS20N10

Application: Reduce	vind, breath, and	l popping noises	Material: Flexible foam

Size: Fits most standard headset mics Color: Tan

Sec.



$\ensuremath{\textbf{Application:}}\xspace$ Reduce wind, breath, and popping noises	Material: Flexible foam	
Size: Fits most standard headset mics	Color: Black	



WINDSCREENS FOR GOOSENECK MICROPHONES ASWS30-B

Application: Redu	ice wind, brea	th, and poppin	g noises Material	: Flexible foam
-------------------	----------------	----------------	-------------------	-----------------

Size: Fits most standard gooseneck mics

Color: Black

ß



WINDSCREEN FOR PENCIL MICS ASVS40B

Application: Reduce wind, breath, and popping noises	Material: Flexible foam
Size: Fits most standard headset mics	Color: Black



WINDSCREEN ASWSSM7

Application: Replacement for Shure SM7B mics	Material: Flexible foam
Size: Fits SM7 microphone	Color: Black



MOST POPULAR

STEEL-MESH MIC GRILLE SP58 / Chrome

Application: Replacement mic grille Fits: Standard dynamic mics

Internal Material: Acoustic foam Color: Chrome

Outer Material: Steel wire mesh

25



WIRELESS TRANSMITTER POUCH WITH GUITAR STRAP MA1335

Application: Attaches wireless transmitters to s	trap or belt
Dimensions: Fits 1" (W) x 3" (L) x 3.5" (D) trans	smitter
Material: Water-resistant neoprene	Color: Black
Large Loop: Fits belts and straps up to 1.75"	Strap Length: 32"-55"
Small Loop: Fits belts up to 0.75"	



WIRELESS TRANSMITTER BODY PACK MA1435

Application: Secures a wireless transmitter to a performer

Dimensions: Fits 1" (W) x 3" (L) x 3.5" (D) transmitter				
Material: Water-resistant neoprene	Color: Black			
Belt Fastener: Hook and loop	Belt Size: 24" - 46"			



CARRY BAG FOR WIRELESS MICS MB5002

Application: Wireless mic protection/tranportation	Fits: 2 wireless units				
Exterior Dimensions: 15" (W) x 11" (H) x 3" (D)	Color: Black				
nterior Transmitter Section Dimensions: 7.5" (W) x 2.5" (H) x 11" (D)					
nterior Mic/Battery Pack Holder Dimensions: 14" (W) x 5.5" (H) x 0.5" (D)					
Construction: Heavy-duty nylon/EVA foam padding					



Materials: Nylon / foam

MIC BAG FOR MICS AND ACCESSORIES

ation: Holds	6 standard or wireless	
eld mics		

Dimensions: 15" (L) x 11.5" (W) x 10" (H) Color: Black





TRIPOD MIC STAND BAG MSB6000

Application: Holds 6 tripod mic stands with booms

Dimensions: 39" (L) x 9.5" (W) x 5" (H)

Materials: Nylon

Color: Black

MIC STAND BAG MSB-6500

Application: Holds 3 round-or hex-base mic Materials: Nylon mic stands with shafts and booms

Dimensions: 37" (L) x 12.5" (W) x 3.75" (H) Color: Black

IMPRINTABLE ITEM

CLAMP-ON BEVERAGE HOLDER MSA5050

ES

Application: Beverage holder attachment	Fits: Standard dyr
Dimensions: 3" (L) x 3.5" (H)	Clamp: Fits tubing
Material: Neoprene	Color: Black or ch

Fits: Standard dynamic mics	
Clamp: Fits tubing 3/8"-1"	
Color: Black or chrome	



PLATFORM FOR MIC STAND MSA6000

Application: Converts mic stand into a	monitor stand				
Dimensions: 9" (W) x 9" (L)	Threading: 5/8"-27				
Weight Capacity: 12 lb Construction: Steel					
Weight: 2 lb Color: Black					



U-MOUNT[®] MIC STAND TRAY MST1000

Application: Holds small accessories, devices, and additional mics				
Tray Dimensions: 6" (W) x 9" (L) Threading: 5/8"-27				
Mounting Bar Length: 9" (8" mounted from stand)	Color: Black			
Mount: Accepts round tubing up to 0.75"	Material: Steel			



NEW PRODUCT

CLAMP-ON SHEET MUSIC BOOKPLATE FOR MIC STANDS SMC1500

J	111	UU	Τv	JU	υ	

Dimensions:	18"	(W)	х 9	.25"	(H)

Support Arm Length: 6.6"

(c _ c	

Lip Depth: 1.5"

Color: Black

U-MOUNT[®] Clamp-on Bookplate MSA7011

Application: Sheet music attachment for mic stand

Bookplate Dimensions: 12.25" (W) x 10.625" (H) with 1" lip		
Mounting Bar Length: 9" (8" mounted from stand)	Construction: Steel	
Clamp: Accepts tubing up to 0.75"	Color: Black	



LAPTOP MOUNT MSA5000

Application: Device tray connects to mic stand	Weight Capacity: 12 lb	
Width Adjustment: 14"-16.5"	Depth: 10"	
Included: (2) 7" self-stick non-slip strips	Construction: Steel	
Threading: 5/8"-27	Color: Black	

GIG RIDER GR9000



Application: Protects and transports 6 mic stands, 2 speaker stands, 6 microphones, and cables

Materials: Nylon

Color: Black

Main Bag Dimensions: 42" (L) x 22" (W) x 10" (D)

Front Pouch Dimensions: 12" (L) x 12" (W) x 3" (D)

HEAVY-DUTY MIC STAND With 12" Base MS9212 (PAGE 6)