



# ON BOARD.


FOLDING-Z KEYBOARD STAND  
WITH SECOND TIER  
KS7365EJ / 12763  
(PAGE 5)



MOST POPULAR


## SINGLE-X KEYBOARD STAND KS7190 / 11183

Application: Small-format keyboards	Arm Depth: 13.25"
Height Adjustment: 27"-38"	Construction: Bolted metal
Tubing: 1"	Weight Capacity: 90 lb
Base Spread: 11"-31"	Color: Black



## SINGLE-X BULLET NOSE KEYBOARD STAND WITH LOK-TIGHT CONSTRUCTION KS8190X / 12758

Application: Small-format keyboards	Tubing: 15 mm x 30 mm
Height Adjustment: 27"-38"	Base Spread: 11"-31"
Arm Depth: 13.75"	Construction: Bolted metal
Weight Capacity: 100 lb	Color: Black




## ERGO-LOK SINGLE-X KEYBOARD STAND WITH LOK-TIGHT CONSTRUCTION KS8290X / 12760

Application: Large-format keyboards	Height Adjustment: 27"-38"
Base Spread: 12"-32"	Arm Depth: 13.75"
Tubing: 30 mm	Construction: Bolted metal
Weight Capacity: 275 lb	Color: Black

KEYBOARD / STANDS





**ERGO-LOK SINGLE-X KEYBOARD STAND WITH WELDED CONSTRUCTION**  
KS7290 / 12751

<b>Application:</b> Large-format keyboards	<b>Weight Capacity:</b> 275 lb
<b>Height Adjustment:</b> 27"–38"	<b>Base Spread:</b> 12"–32"
<b>Arm Depth:</b> 13.75"	<b>Tubing:</b> 30 mm
<b>Construction:</b> Welded metal	<b>Color:</b> Black



**DOUBLE-X KEYBOARD STAND WITH BOLTED ATTACHMENT**  
KS7171 / 13528

<b>Application:</b> Small-to-medium-format keyboards	<b>Arm Depth:</b> 13.25"
<b>Height Adjustment:</b> 27"–39"	<b>Construction:</b> Bolted metal
<b>Tubing:</b> 1"	<b>Weight Capacity:</b> 120 lb
<b>Base Spread:</b> 11"–31"	<b>Color:</b> Black



MOST POPULAR

**DOUBLE-X BULLET NOSE KEYBOARD STAND WITH LOK-TIGHT CONSTRUCTION**  
KS8191XX / 12759

<b>Application:</b> Medium-format keyboards	<b>Tubing:</b> 18 mm
<b>Height Adjustment:</b> 27"–39"	<b>Base Spread:</b> 11"–31"
<b>Arm Depth:</b> 14"	<b>Construction:</b> Bolted metal
<b>Weight Capacity:</b> 200 lb	<b>Color:</b> Black



MOST POPULAR

**DOUBLE-X KEYBOARD STAND**  
KS7191 / 11136

<b>Application:</b> Small-to-medium-format keyboards	<b>Arm Depth:</b> 13.25"
<b>Height Adjustment:</b> 27"–39"	<b>Construction:</b> Welded metal
<b>Tubing:</b> 1"	<b>Weight Capacity:</b> 120 lb
<b>Base Spread:</b> 11"–31"	<b>Color:</b> Black



**ERGO-LOK DOUBLE-X KEYBOARD STAND WITH LOK-TIGHT CONSTRUCTION**  
KS8291XX / 12761

<b>Application:</b> Large-format keyboards	<b>Height Adjustment:</b> 27"–38"
<b>Base Spread:</b> 12"–32"	<b>Arm Depth:</b> 14.125"
<b>Tubing:</b> 30 mm	<b>Construction:</b> Bolted metal
<b>Weight Capacity:</b> 320 lb	<b>Color:</b> Black



**ERGO-LOK DOUBLE-X KEYBOARD STAND WITH WELDED CONSTRUCTION**  
KS7291 / 12750

<b>Application:</b> Large-format keyboards	<b>Weight Capacity:</b> 320 lb
<b>Height Adjustment:</b> 27"–38"	<b>Base Spread:</b> 12"–32"
<b>Arm Depth:</b> 14.25"	<b>Tubing:</b> 30 mm
<b>Construction:</b> Welded metal	<b>Color:</b> Black





DOUBLE-X ERGO-LOK KEYBOARD STAND  
WITH SECOND TIER

KS7292 / 13559	
Application: Multiple keyboards	Weight Capacity: 320 lb
Base Spread: 12"–32"	Height Adjustment (First Tier): 27"–38"
Lower Arm Depth: 14.25"	Upper Arm Depth: 15.5"
Color: Black	



FOLDING-Z KEYBOARD STAND

KS7350 / 12762	
Application: Large-format keyboards	Structural Tubing: 1" x 2"
Construction: Welded metal	Weight Capacity: 375 lb
Telescoping Width Adjustment (outer): 21"–36"	Color: Black
Telescoping Width Adjustment (inner): 19"–34"	



FOLDING-Z KEYBOARD STAND WITH SECOND TIER

KS7365EJ / 12763	
Application: Multiple keyboards	First Tier Depth: 16.5"
Outer Width Adjustment: 21"–36"	Second Tier Depth: 16.25"
Inner Width Adjustment: 19"–34"	Construction: Welded metal
Structural Tubing: 1" x 2"	Total Weight Capacity: 400 lb
Second Tier Weight Capacity: 60 lb	Padding: EVA rubber
Color: Black	



Z KEYBOARD STAND WITH SECOND TIER

KS1365 / 14950	
Application: Multiple keyboards	Total Depth: 18.5"
Width Adjustment: 21"–36"	First Tier Depth: 16"
First Tier Height Adjustment: 20.5"–33.75"	Structural Tubing: 1.4" x 1.4"
Second Tier Height Adjustment: 16.5"–18" above first tier	
Second Tier Depth: 14.3"	Padding: EVA rubber
Second Tier Weight Capacity: 60 lb	Color: Black
Total Weight Capacity: 400 lb	



DELUXE X-STYLE BENCH  
KT7800+ / 11483  
(PAGE 12)

FOLDING-Z KEYBOARD STAND  
WITH SECOND TIER  
KS7365EJ / 12763  
(PAGE 5)





THREE-TIER A-FRAME KEYBOARD STAND

KS7903 / 11495

<b>Application:</b> Multiple keyboards	<b>Height:</b> 54"
<b>Base Width:</b> 26" x 58"	<b>Internal Width:</b> 51"
<b>Construction:</b> Bolted metal	<b>Color:</b> Black
<b>Weight Capacity:</b> 40 lb per tier (120 lb total)	



QUANTUM CORE COLUMN KEYBOARD STAND

KS9102 / 12051

<b>Application:</b> Multiple keyboards	<b>Height Adjustment:</b> 10"–44"
<b>Base Spread:</b> 32"	<b>Weight:</b> 17 lb
<b>Weight Capacity:</b> 125 lb per tier (250 lb total)	<b>Color:</b> Black



PLATFORM-STYLE KEYBOARD STAND

KS7150 / 11650

<b>Application:</b> Large-format keyboards, mixers, and DJ coffin cases	<b>Height Adjustment:</b> 26"–43"
<b>Width Adjustment:</b> 29"–43.5"	<b>Depth:</b> 12.5"
<b>Construction:</b> Welded and bolted metal	<b>Weight Capacity:</b> 230 lb
<b>Folded Dimensions:</b> 12.625" (W) x 29" (L) x 3.5" (D)	<b>Color:</b> Black



MULTI-FUNCTION STAND

WS8540 / 12854

<b>Application:</b> Medium-format keyboards, mixers, and DJ coffin cases	<b>Tubing:</b> 30 mm
<b>Height Adjustment:</b> 24"–32.5" (8 set positions)	<b>Weight Capacity:</b> 300 lb
<b>Depth Adjustment:</b> 14"–16.5"	<b>Width Adjustment:</b> 16"–29"
<b>Construction:</b> Welded and bolted steel	<b>Color:</b> Black



MULTI-FUNCTION STAND

WS8550 / 12820

<b>Application:</b> Large-format keyboards, mixers, and DJ coffin cases	<b>Tubing:</b> 30 mm
<b>Height Adjustment:</b> 24"–33" (8 set positions)	<b>Weight Capacity:</b> 250 lb
<b>Width Adjustment:</b> 29"–47"	<b>Depth Adjustment:</b> 15"–27"
<b>Construction:</b> Welded and bolted steel	<b>Color:</b> Black



COMPACT MIDI / SYNTHESIZER UTILITY STAND

KS6150 / 12509

<b>Application:</b> Mini synths, arrangers, MIDI controllers, effects processors, digital DJ tools, samplers, tablets, and laptops	
<b>Height Adjustment:</b> 23"–36"	<b>Tray Width Adjustment:</b> 16"–29"
<b>Tray Depth:</b> 10"	<b>Platform Angle Adjustment:</b> 0°–15°
<b>Base Dimensions:</b> 12" x 16"	<b>Construction:</b> Steel
<b>Weight Capacity:</b> 35 lb	<b>Weight:</b> 17.5 lb
<b>Color:</b> Black	



KEYBOARD STAND AND BENCH PACK  
KPK6500 / 11659

Application: Small-format keyboards	Tubing: 15 mm x 30 mm
Height Adjustment: 27"–38"	Weight Capacity: 90 lb
Width Adjustment: 29"–47"	Depth Adjustment: 15"–27"
Construction: Welded and bolted steel	Color: Black



KEYBOARD STAND AND BENCH PACK  
WITH KEYBOARD SUSTAIN PEDAL  
KPK6520 / 13511

Application: Large-format keyboards	Width Adjustment: 29"–47"
Height Adjustment: 24"–33" (8 set positions)	Depth Adjustment: 15"–27"
Construction: Welded and bolted steel	Weight Capacity: 250 lb
Color: Black	



KEYBOARD STAND AND BENCH PACK  
WITH KEYBOARD SUSTAIN PEDAL  
KPK6550 / 13428

Application: Large-format keyboards	Width Adjustment: 29"–47"
Height Adjustment: 24"–33" (8 set positions)	Depth Adjustment: 15"–27"
Construction: Welded and bolted steel	Weight Capacity: 250 lb
Color: Black	Tubing: 30 mm



UNIVERSAL SECOND TIER  
FOR X-STYLE KEYBOARD STANDS  
KSA7500 / 11982

Application: Add a second keyboard to your stand
Compatibility: 1" or 30 mm round or square tubing
Weight Capacity: 60 lb



DELUXE KEYBOARD TIER  
KSA8500 / 13522

Application: Holds multiple keyboards, mixers, laptops, and other gear when used with keyboard stands with 1" or 30 mm round or square tubing, including On-Stage Z stands
Adjustability: All independent arms have adjustable height, angle, depth, and width
Weight Capacity: 66 lb (33 lb per set of arms)



SECOND TIER FOR KS7350 FOLDING-Z  
KEYBOARD STAND  
KSA7550 / 13024

Application: Add a second keyboard to your stand	Height Adjustment: 9"–14"
Compatibility: KS7350 Folding-Z Stand	Angle Adjustment: Up to 30°
Weight Capacity: 60 lb	



UTILITY TRAY FOR X-STYLE KEYBOARD STANDS  
KSA7100 / 12479

<b>Application:</b> Fits on all On-Stage X-style keyboard stands to hold mixers, laptops, effects, drum machines, and other devices	
<b>Attachment:</b> Brackets adjust to arm spreads from 11.75" to 22.75"	
<b>Tray Dimensions:</b> 28" (L) x 14.5" (W)	<b>Weight Capacity:</b> 100 lb
<b>Includes:</b> (2) strips of EVA rubber	



UNIVERSAL ADAPTER FOR KEYBOARD MIC AND TABLET  
KSA7575+ / 11735

Application: Add a mic or tablet mount to keyboard stands	Support Arm Length: 6.125"
Compatibility: Any keyboard stand with 1" or 30 mm round or square tubing	Threading: 5/8"-27
Weight Capacity: 10 lb	



KEYBOARD ACCESSORY TRAY  
KSA8585 / 13523

<b>Application:</b> Add a small mixer, drum machine, synth module, or other device to your keyboard stand	
<b>Tray Height (from keyboard stand):</b> 10"	<b>Tray Dimensions:</b> 12" (L) x 8" (W)
<b>Includes:</b> (2) strips of hook and loop	<b>Tray Rotation Angle:</b> 180°





**DELUXE KEYBOARD BENCH**  
KB8904B / 12515  
(PAGE 12)



**MOST POPULAR**

<b>THREE-POSITION X-STYLE KEYBOARD / PIANO BENCH</b> KT7800 / 10539	
Height Adjustment: 18.75"–20.5"	Bench Seat Size: 12" (W) x 17" (L)
Cushion Thickness: 2"	Tubing: 0.75" x 1.5"
Construction: Welded metal	Weight Capacity: 300 lb



**MOST POPULAR**

<b>DELUXE X-STYLE KEYBOARD / PIANO BENCH</b> KT7800+ / 11483	
Height Adjustment: 19.5"–24.5"	Weight Capacity: 360 lb
Cushion Thickness: 3"	Construction: Welded metal
Color: Black	Bench Seat Size: 12.5" (W) x 23.5" (L)



<b>HEIGHT-ADJUSTABLE PIANO BENCH</b> KB9503B / 13228	
Height Adjustment: 17"–22"	
Weight Capacity: 330 lb	
Color: Black gloss	



<b>DELUXE FLIP-TOP KEYBOARD / PIANO BENCH</b> KB8904B / 12515	
Construction: Wood / vinyl	Height: 19.5"
Bench Seat: 13.5" (W) x 29.5" (L)	Cushion Thickness: 1"
Weight Capacity: 240 lb	Color: Black satin



<b>FLIP-TOP KEYBOARD / PIANO BENCH</b> KB8902B / 13532	
Construction: Wood / vinyl	Height: 19.5"
Bench Seat: 13.5" (W) x 22.5" (L)	Cushion Thickness: 1.5"
Weight Capacity: 240 lb	



**MOST POPULAR**

<b>KEYBOARD / PIANO BENCH</b> KB8802B / 13531 / Black    KB8802W / 13986 / White	
Construction: Wood / vinyl	Height: 19.5"
Bench Seat: 13.5" (W) x 22.5" (L)	Cushion Thickness: 1.5"
Weight Capacity: 240 lb	





KEYBOARD SUSTAIN PEDAL  
KSP20 / 13513

<b>Cord Length:</b> 6'	<b>Connector:</b> 1/4"
<b>Construction:</b> Durable hard outer plastic casing / medium-gauge spring	
<b>Dimensions:</b> 2.75" (W) x 1.25" (H) x 3.875" (L)	



KEYBOARD SUSTAIN PEDAL  
KSP1000 / 13427

<b>Cord Length:</b> 6'	<b>Connector:</b> 1/4"
<b>Foot Pedal:</b> Chrome with removable scratch-resistant protective cover that doubles as a non-slip grip	



LED PIANO LAMP  
LED8800 / 14240

<b>LED Quantity:</b> 18	<b>Maximum Height:</b> 15"
<b>Modes:</b> Bright, low, off	<b>Base Diameter:</b> 5.6"
<b>Power Requirement:</b> 5V (power adapter included)	<b>Color:</b> Black



61-KEY KEYBOARD DUST COVER  
KDA7061B / 13467 / Black    KDA7061G / 13468 / Gray  
KDA7061W / 14170 / White

<b>Application:</b> Keyboard protection	<b>Size:</b> 61–76 key
<b>Material:</b> Spandex	



49-KEY KEYBOARD BAG  
KBA4049 / 13988

<b>Application:</b> 49-key keyboards	<b>Material:</b> Weather-resistant nylon
<b>Padding:</b> 0.75" foam	<b>Transportation:</b> Backpack-style straps and carrying handles
<b>Interior Dimensions:</b> 35.5" (L) x 12.75" (H) x 5" (D)	<b>Accessory Pocket:</b> 21" (L) x 12" (H) x 2" (D)



61-KEY KEYBOARD BAG  
KBA4061 / 13399

<b>Application:</b> 61-key keyboards	<b>Material:</b> Weather-resistant nylon
<b>Padding:</b> 0.75" foam	<b>Transportation:</b> Backpack-style straps and carrying handles
<b>Interior Dimensions:</b> 39" (L) x 12.2" (H) x 4" (D)	<b>Accessory Pocket:</b> 21" (L) x 12" (H) x 2" (D)



EXPRESSION PEDAL  
KEP100 / 13147

<b>Application:</b> Control synth-effects	<b>Color:</b> Black / gray
<b>Compatibility:</b> Most keyboards and synthesizers	
<b>Dimensions:</b> 8.25" (L) x 3.5" (W) x 2" (D)	



POWER ADAPTER  
OSADE95 / 13077

<b>Application:</b> Keyboard power supply	<b>Input:</b> 120 V AC 60 Hz
<b>Compatibility:</b> Most Casio keyboards, including CTK, LD, and LK models	<b>Output:</b> 9 V DC 1000 mA
<b>Cord Length:</b> 67"	<b>Plug Type:</b> Right angle



POWER ADAPTER  
OSPA130 / 13076

<b>Application:</b> Keyboard power supply	<b>Input:</b> 120 V AC 60 Hz
<b>Compatibility:</b> Most battery-powered Yamaha keyboards	<b>Output:</b> 12 V DC 1000 mA
<b>Cord Length:</b> 70"	



88-KEY KEYBOARD DUST COVER  
KDA7088B / 13469 / Black    KDA7088G / 13470 / Gray  
KDA7088W / 14171 / White

<b>Application:</b> Keyboard protection	<b>Size:</b> 88 key
<b>Material:</b> Spandex	



88-KEY KEYBOARD BAG  
KBA4088 / 13400

<b>Application:</b> 88-key keyboards	<b>Material:</b> Weather-resistant nylon
<b>Padding:</b> 0.75" foam	<b>Transportation:</b> Carrying handle and wheels
<b>Interior Dimensions:</b> 58.5" (L) x 15" (H) x 5.1" (D)	<b>Accessory Pocket:</b> 28" (L) x 12" (H) x 2" (D)



KEYBOARD STAND BAG  
KSB-6500 / 35539

<b>Application:</b> Holds On-Stage KS7350, KS7365EJ, and KS7150 keyboard stands	
<b>Material:</b> Heavy-duty padded nylon	<b>Dimensions:</b> 30" (L) x 16" (H) x 8.75" (D)