

# ON THE RISE.

**POWER CRANK-UP  
SPEAKER STAND**  
SS8800B+  
(PAGE 4)



**ALL-STEEL SPEAKER STAND**  
SS7725

Speaker Pole Diameter: 1.375" (1.5" adapter included)

Height Adjustment: 46"-74"      Weight Capacity: 120 lb

Construction: Steel      Color: Black



**CLASSIC SPEAKER STAND**  
SS7730B

Speaker Pole Diameter: 1.375" (1.5" adapter included)

Height Adjustment: 44"-80"      Weight Capacity: 160 lb

Construction: Steel / aluminum      Color: Black



**ALL-ALUMINUM SPEAKER STAND**  
SS7761B

Reversible Speaker Pole Diameter: 1.375" or 1.5"

Height Adjustment: 45"-72"      Base Spread: 32"-48"

Weight Capacity: 120 lb      Construction: Aluminum

Color: Black



**SPEAKER STAND WITH ADJUSTABLE LEG**  
SS7762B

Reversible Speaker Pole Diameter: 1.375" or 1.5"

Length: 45"-72"

Base Spread: 32"-48"

Leveling Leg Adjustment: 0"-8"

Weight Capacity: 110 lb

Construction: Aluminum

Color: Black



**AIR-LIFT SPEAKER STAND**  
SS7764B

Speaker Pole Diameter: 1.375"

Height Adjustment: 47"-74"

Base Spread: 46"

Weight Capacity: 100 lb

Lift Assist: 40 lb

Construction: Aluminum / steel

Color: Black



**10' LIGHTING / SPEAKER STAND**  
LS-SS7770

Height Adjustment: 44"-120"

Base Spread: 38"-58"

Reversible Speaker Pole Diameter: 1.375" or 1.5"

Weight Capacity: 140 lb

Construction: Steel / aluminum

Color: Black



**POWER CRANK-UP SPEAKER STAND**  
SS8800B+

Speaker Pole Diameter: 1.375" (1.5" adapter included)

Height Adjustment: 47"-80"

Weight Capacity: 80 lb

Construction: Aluminum / steel

Color: Black



**MINI ADJUSTABLE SPEAKER STAND**  
SSAS7000B

Speaker Pole Diameter: 1.375"

Height Adjustment: 27"-46"

Base Spread: 12.5"

Weight Capacity: 60 lb

Construction: Aluminum

Color: Black



**MINI SPEAKER STAND PACK**  
SSP7000

Reversible Speaker Pole Diameter: 1.375"

Height Adjustment: 27"-48"

Weight Capacity: 60 lb each

Construction: Aluminum

Color: Black

Bag material: Heavy-duty padded nylon



### COMPACT SPEAKER STAND PACK SSP7750

<b>Includes:</b> 2 stands and carry bag	<b>Speaker Pole Diameter:</b> 1.375"
<b>Height Adjustment:</b> 37"-60"	<b>Weight Capacity:</b> 60 lb
<b>Construction:</b> Aluminum	<b>Bag Material:</b> Heavy-duty nylon
<b>Color:</b> Black	



### ALL-ALUMINUM SPEAKER STAND PACK SSP7900

<b>Height Adjustment:</b> 45"-74.75"	<b>Weight Capacity:</b> 120 lb each
<b>Reversible Speaker Pole Diameter:</b> 1.375" with 1.5" nylon	<b>Bag Material:</b> Heavy-duty
<b>Construction:</b> Aluminum adapter included	<b>Color:</b> Black



### PROFESSIONAL SPEAKER STAND PACK SSP7850

<b>Height Adjustment:</b> 46"-74"	<b>Weight Capacity:</b> 120 lb each
<b>Construction:</b> Steel	<b>Color:</b> Black



### ALL-ALUMINUM SPEAKER STAND PACK SSP7950

<b>Reversible Speaker Pole Diameter:</b> 1.375" or 1.5"	
<b>Height Adjustment:</b> 45"-72"	<b>Weight Capacity:</b> 120 lb each
<b>Construction:</b> Aluminum	<b>Color:</b> Black
<b>Bag material:</b> Heavy-duty nylon	



NEW PRODUCT  
AWARD-WINNER

### WOOD STUDIO MONITOR STANDS SMS7500B

<b>Height Adjustment:</b> 35.5"-56.5"	<b>Platform Dimensions:</b> 13.75" x 12.63"
<b>Base Dimensions:</b> 16" x 15"	<b>Weight Capacity:</b> 90 lb
<b>Construction:</b> Steel / wood	<b>Color:</b> Black



NEW PRODUCT  
AWARD-WINNER

### WOOD STUDIO MONITOR STANDS SMS7500RB

<b>Height Adjustment:</b> 35.5"-56.5"	<b>Platform Dimensions:</b> 13.75" x 12.63"
<b>Base Dimensions:</b> 16" x 15"	<b>Weight Capacity:</b> 90 lb
<b>Construction:</b> Steel / wood	<b>Color:</b> Rosewood



ON-STAGE ORIGINAL

**HEX-BASE MONITOR STANDS**

SMS6600-P

Height Adjustment: 36.5"–54"

Platform Dimensions: 9.5" x 9.5"

Base Spread: 14"

Weight Capacity: 90 lb

Construction: Steel

Color: Black

**STUDIO MONITOR STANDS (PAIR)**

SMS6000-P

Height Adjustment: 36.5"–54"


Platform Dimensions: 9.5" x 9.5"

Base Spread: 18"

Weight Capacity: 90 lb

Construction: Steel

Color: Black

**SUBWOOFER ATTACHMENT SHAFT**

SS7740

Length: 42"

Speaker Pole Diameter: 1.375"

Weight Capacity: 160 lb

Construction: Steel

Color: Black



MOST POPULAR

**ADJUSTABLE SUBWOOFER ATTACHMENT SHAFT**

SS7745

Length Adjustment: 31.625"–55"

Speaker Pole Diameter: 1.375"

Weight Capacity: 100 lb

Construction: Steel

Color: Black



M20 THREADED

MOST POPULAR

**SUBWOOFER POLE WITH M20 THREAD**

SS7746

Length Adjustment: 30"–54"

Speaker Pole Diameter: 1.375"

Weight Capacity: 100 lb

Construction: Steel

Color: Black



### AIRLIFT SPEAKER POLE SS7748

**Length Adjustment:** 36.5"–60" **Speaker Pole Diameter:** 1.375"  
**Weight Capacity:** 100 lb **Construction:** Steel  
**Color:** Black



### ADJUSTABLE SUBWOOFER ATTACHMENT SHAFT SS7745L0K

**Length Adjustment:** 32.5"–47" **Speaker Pole Diameter:** 1.375"  
**Weight Capacity:** 100 lb **Construction:** Steel  
**Color:** Black



### CRANK-UP SUBWOOFER POLE SS7747v2

**Length Adjustment:** 40"–63" **Speaker Pole Diameter:** 1.375"  
**Weight Capacity:** 145 lb **Construction:** Steel  
**Color:** Black



### SPEAKER / LIGHTING STAND SCRIM

SSA100B / Black      SSA100W / White

**Construction:** Stretch nylon      **Color:** Available in black or white



**MOST POPULAR**  
**IMPRINTABLE ITEM**

### SPEAKER STAND BAG

SSB6500

**Bag Dimensions:** 50" (L) x 10" (W) x 5" (D)      **Color:** Black

**Construction:** Heavy-duty nylon shell / foam padding



**MOST POPULAR**

### WALL-MOUNT SPEAKER BRACKET

SS7914B

**Length:** 15.5" (from the inside of the bracket to the center of the speaker pole)

**Weight Capacity:** 80 lb

**Construction:** Steel

**Color:** Black



### 12" SPEAKER BAG

SB1200

**Construction:** Heavy-duty nylon shell / foam padding

**Bag Dimensions:** 24.5" (L) x 14.5" (W) x 15" (D)



### 15" SPEAKER BAG

SB1500

**Construction:** Heavy-duty nylon shell / foam padding

**Bag Dimensions:** 28" (L) x 17" (W) x 17" (D)



### ADJUSTABLE WALL-MOUNT SPEAKER BRACKET

SS7322B

**Distance from Wall:** 12.5"–15" (depending on tilt angle)

**Left-to-Right Angle Adjustment:** 30° either direction

**Tilt Angle Adjustment:** 0°–30° down

**Color:** Black

**Weight Capacity:** 80 lb



### WALL-MOUNT SPEAKER BRACKET

SS7323B

**Distance from wall:** 12.5"-15" (depending on tilt angle)

**Left-to-Right Angle Adjustment:** 30° either direction

**Tilt Angle Adjustment:** 0°-45° down

**Construction:** Steel

**Weight Capacity:** 100 lb

**Color:** Black



### DUAL-MOUNT SPEAKER BRACKET

SS7920

**Bracket Length:** 20" from the center of one speaker pole to the center of the other speaker pole

**Construction:** Steel

**Weight Capacity:** 80 lb distributed evenly

**Color:** Black

**Speaker Pole Diameter:** 1 3/4"



### LOCKING SPEAKER ADAPTER

SSA45L0K

**Application:** Stabilizes speaker pole/socket connections

**Length:** 12" including 3" speaker-pole overlap

**Construction:** Steel tubing / plastic pressure pads

**Diameter:** 1.375"

**Color:** Black



### SPEAKER STAND ADAPTER

SSA3

**Application:** Reduces the diameter of a 1.375" speaker pole to 1"

**Lower Diameter (Female):** 1.375"

**Upper Diameter (Male):** 1"

**Construction:** Steel

**Color:** Black



### ADAPTER SLEEVE FOR SPEAKER BRACKETS

SSA2

**Application:** Increases the diameter of a 1.375" speaker pole to 1.5"

**Inner Diameter:** 1.375"

**Outer Diameter:** 1.5"

**Construction:** Steel

**Color:** Black



### SUBWOOFER ADAPTER

SSA21

**Application:** Enables an M20-threaded speaker-stand shaft to connect to virtually any subwoofer pole-mount socket

**Lower Adapter:** 1.375" with a removable male M20-threaded stem

**Upper Adapter:** Female M20

**Construction:** Steel

**Includes:** Hex key for M20 stem removal



### STEERABLE ARRAY BRACKET

SS7990

**Steering:** Up to 180° with correct cables

**Length:** 17.75"

**Includes:** (6) 8 mm eyebolts (3 per mount)

**Weight Capacity:** 80 lb per mount



### EXTERIOR MOUNTING BRACKET

EB9760

**Application:** Adds a 1.375" pole-mount socket to a speaker

**Dimensions:** 7.375" x 4.375"

**Construction:** Heavy-duty plastic

**Includes:** (4) mounting screws

**Color:** Black



### SPEAKER CABINET INSERT

SSA1.375 SSA1.5

**Application:** Adds a pole-mount socket to a speaker

**Construction:** Steel

**SSA1.375 Diameter:** 1.375"

**SSA1.5 Diameter:** 1.5"



### M20 SPEAKER CABINET ADAPTER

SSA20M

**Application:** Replaces a 1.375" pole-mount socket with an M20-threaded socket

**Includes:** 4 mounting screws

**Construction:** Steel

**Color:** Black



### SAFETY CABLE

SSACB28

**Application:** Backup attachment for overhead equipment

**Thickness:** 3 mm

**Length:** 28"

**Maximum Load:** 60 lb

**Construction:** Steel

**Includes:** Carabiner



### DESKTOP STUDIO MONITOR STANDS

SMS4500-P

**Height Adjustment:** 9" - 12.4"

**Angle Adjustment:** 0°-15°

**Base Dimensions:** 10" x 10"

**Platform Dimensions:** 9" (D) x 12" (W)

**Construction:** Steel / EVA rubber on platform / rubber feet

**Color:** Black



NEW PRODUCT

### SPEAKER FIELD CART SFC9000

**Dimensions:** 33.5" (W) x 41.75" (H) x 33.5" (D)

**Tubing Size:** 1.5" x 1.5"

**Construction:** Steel

**Weight Capacity:** 300 lbs.

**Weight:** 100 lbs.

**Color:** Black Powder Coat Finish



### LIGHTING STAND WITH TRUSS LS7730

**Application:** Supports 16 PAR cans or other lighting schemes

**Height Adjustment:** 65"-129"

**Weight Capacity:** 200 lb total

**Length:** 120"

**Base Spread:** 48"



### FLAT-BASE LIGHTING STAND LS7920BLT

**Application:** Supports 8 PAR cans or other lighting schemes

**Height Adjustment:** 60"-120"

**Weight Capacity:** 110 lb

**Base Dimensions:** 18.5" x 18.5"

**Base Thickness:** 8 mm

**Base Threading:** M20

**Base Weight:** 27 lb

**Color:** Black



### LIGHTING STAND WITH SIDE BARS LS7720BLT

**Application:** Supports 8 PAR cans or other lighting schemes

**Height Adjustment:** 60"-120"

**Base Spread:** 48"

**Weight Capacity:** 110 lb

**Construction:** Aluminum

**Color:** Black



### 13' TRIPOD LIGHTING/MIC STAND LS-MS7620

**Height Adjustment:** 47"-156"

**Construction:** Aluminum

**Base Spread:** 35"

**Fully Retracted Length:** 45"

**Weight Capacity:** 15 lb

**Color:** Black



### POWER CRANK-UP LIGHTING STAND LS7805QIK

**Application:** Supports 12 PAR cans or other lighting schemes

**Height Adjustment:** 54"-132"

**Base Spread:** 54"

**Weight Capacity:** 80 lb

**Color:** Black

**Construction:** Aluminum / steel



### AIR-LIFT FLAT SCREEN MOUNT FPS6000

**Mounting Bracket:** Universal VESA mount

**Bracket Angle Adjustment:** 15° up / 15° down

**Height Adjustment:** 47"-74"


**Air-Lift Assist:** Lifts up to 40 lb unassisted

**Max Screen Size:** 42"

**Air Lift Assist:** 40 lb

**Weight Capacity:** 50 lb

**Base Spread:** 46"



### CEILING BAR FOR MICS AND LIGHTS MY900

**Application:** Overhead mounting of lights and other devices

**Mounting Stem Quantity:** 4

**Mounting-Stem Threading:** 5/8"-27

**Includes:** Wood screws / ceiling-tile brackets

**Length:** 46.5"



IMPRINTABLE ITEM

### LIGHTING STAND BAG LSB6500

**Dimensions:** 13" (W) x 62" (L) x 9" (H)

**Color:** Black

**Construction:** Heavy-duty nylon shell / foam padding



### LED WASH LIGHT RGBLED100

**Application:** Area lighting

**Modes:** Automatic, sound activated, DMX and master-slave

**DMX Channels:** 6

**Colors:** Red, Green, Blue

**Dimensions:** 7" x 7"

**Voltage:** 100-240v/56-60Hz

**Rated Power:** 20 W



AWARD-WINNER

### U-MOUNT LIGHTING ARMS LSA7700P

**Application:** Mounts up to 6 PAR cans on a stand

**Weight Capacity:** 15 lb per arm

**Includes:** 6 mounting wingnuts

**Color:** Black

**Length:** 29"

**Construction:** Aluminum / steel



### MINI SPEAKER STAND PACK SSP7000 (PAGE 4)